Award Number: DAMD17-99-1-9410

TITLE: Body Fat Phenotypes, Sex Hormones and Breast Cancer Risk in Postmenopausal African-American Women

PRINCIPAL INVESTIGATOR: Junaidah B. Barnett, Ph.D.

CONTRACTING ORGANIZATION: Tufts University Boston, Massachusetts 02111

REPORT DATE: October 2000

TYPE OF REPORT: Annual

PREPARED FOR: U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for public release;
Distribution unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

REPORT DO	CUMENTATION PA	IGE	C	Form Approved OMB No. 074-0188
Public reporting burden for this collection of informatio the data needed, and completing and reviewing this creducing this burden to Washington Headquarters Ser	n is estimated to average 1 hour per response, ollection of information. Send comments regard vices, Directorate for Information Operations an	including the time for reviewing ins	tructions, searching ener aspect of this colle	xisting data sources, gathering and maintaining ction of information, including suggestions for
Management and Budget, Paperwork Reduction Proje 1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE	3. REPORT TYPE AND	DATES COVER	ED
	October 2000	Annual (30 Sep	99 - 29 5	Sep 00)
4. TITLE AND SUBTITLE			5. FUNDING	
Body Fat Phenotypes,			DAMD17-99	0-1-9410
Cancer Risk in Postm	enopausal African	-American		
Women				
6. AUTHOR(S) Junaidah B. Barnett, Ph.	D.			
7. PERFORMING ORGANIZATION NAM Tufts University	ME(S) AND ADDRESS(ES)		8. PERFORMIN	NG ORGANIZATION JMBER
Boston, Massachusetts 02111				
E-MAIL: junaidah.barnett@tufts.edu 9. SPONSORING / MONITORING AGE	NCY NAME(S) AND ADDRESS(ES)		ING / MONITORING REPORT NUMBER
U.S. Army Medical Research and M Fort Detrick, Maryland 21702-5012			AGENCY	NEFORT NOWIBER
11. SUPPLEMENTARY NOTES	This report contains	colored photos		
12a. DISTRIBUTION / AVAILABILITY S Approved for public rele		imited		12b. DISTRIBUTION CODE
African-American (AA) wom suggesting that breast cancer i especially postmenopausal AA little known about their sex he better marker for breast cance association between body fat pwe were able to successfully estudy running smoothly. This process of getting women througher of interested callers is screened. Fifteen women are egetting these women through 14. SUBJECT TERMS Breast Cancer	en have the highest breast in AA women might be a bay women, remain one of the primone profile. Recent find r risk than degree of obesignment phenotypes and sex hormone complete all necessary Task is a very challenging study ough the study protocol are a 162. Of these, 40 did not beligible, and 14 will be eligible.	piologically more ago ne least studied pop- dings have suggeste ty. This is a 5-year one profile in postmant ks outlined in our ago y to undertake. Stude highly time-consu- return our calls, and	ggressive di- bulations in to ed that body cross-section denopausal Approved standy dy promotion dy promotion dening and land 100 have a	sease, AA women, his country, with very fat distribution may be a nal study to determine the AA women. For year one, tement of work, with the nal efforts as well as the bor intensive. To date the already been telephone
17. SECURITY CLASSIFICATION 18	3. SECURITY CLASSIFICATION	19. SECURITY CLASSIF	ICATION	20. LIMITATION OF ABSTRACT

Unclassified NSN 7540-01-280-5500

OF REPORT

Standard Form 298 (Rev. 2-89)
Prescribed by ANSI Std. Z39-18
298-102

Unlimited

OF ABSTRACT

Unclassified

OF THIS PAGE

Unclassified

Table of Contents

Cover	1
SF 298	2
Table of Contents	3
Introduction	4
Body	4-10
Key Research Accomplishments	10
Reportable Outcomes	.10
Conclusions	10-11
References	11
Appendices	. 11

INTRODUCTION:

Breast cancer is a major public health concern for African-American (AA) women in the U.S. AA women experience higher breast cancer mortality rates as well as higher prevalences of obesity and upper body adiposity than Caucasian women. Despite reports suggesting that breast cancer in AA women might be a biologically more aggressive disease, AA women, especially postmenopausal AA women, remain one of the least studied populations in this country, with very little known about their sex hormone profile. Recent findings have suggested that body fat distribution may be a better marker for breast cancer risk than degree of obesity. In this study, we will test the hypotheses that postmenopausal AA women with normal versus upper body fat phenotypes have a sex hormone profile associated with the lowest and highest risk of breast cancer, respectively. This will be a 5-year cross-sectional study comprising 210 healthy postmenopausal AA women (one year postmenopausal up to age 70 years); 70 per body fat phenotype categories of lower (WHR≤0.75), normal (0.75<WHR≤0.80) and upper (WHR>0.80) body fat phenotypes. Blood samples will be collected on two consecutive days for determination of estradiol, free estradiol, percent free estradiol, estrone, estrone sulfate, testosterone, free testosterone, percent free testosterone, androstenedione and sex hormone binding globulin, as well as follicular-stimulating hormone and luteinizing hormone. We will determine the subject's body mass index (BMI) and percent body fat using a Hologic Dual Energy X-ray Absorptiometry (DEXA) scanner and collect other relevant data to enable us to control for established and possible confounding factors such as: medical history including family history of breast cancer and a history of benign breast disease; reproductive history such as age at menarche, age at first birth, and number of children; dietary data; physical activity data and others such as use of alcohol, smoking, and exogenous hormones. Multivariate regression models adjusting for various confounders such as age, BMI or percent body fat, age at menarche, parity, and others such as age at first birth as well as various interaction terms between age and BMI, and age and body fat phenotypes, will be conducted to test our hypotheses. This study will add to the virtually non-existent data on sex hormone profile as it relates to postmenopausal breast cancer risk in normal, lower and upper body fat phenotype AA women, independent of body adiposity. It will help us determine whether or not the current thinking of a positive linear association between WHR and breast cancer risk is correct. If our hypotheses are true, future studies would need to control for body fat phenotype; otherwise study findings may provide misleading conclusions. Further, as body fat distribution is potentially modifiable by lifestyle factors such as diet, smoking, drinking alcohol, and physical activity, the possible identification of certain body fat phenotypes as a marker of a hormonal pattern that may increase breast cancer risk in women is of considerable importance.

BODY:

Statement of Work

Body Fat phenotypes, Sex Hormones, and Breast Cancer Risk in Postmenopausal African-American Women

Task 1. Set up study (Months 1 to 4)

inform collaborating bodies (such as the GCRC, NEMC¹, and BONREC²) of grant award, set up appointments, and finalize arrangements for conduct of the study using their services—

Accomplished. This encompassed a presentation to the GCRC administrators and nurses about the study, and outlining study needs such as blood drawing services, blood processing and storage protocols, use of examination room for screening appointments and body measurements, as well as need for meals

¹ GCRC, NEMC: General Clinical Research Center, New England Medical Center

² BONREC: Boston Obesity and Nutrition Research Center

for subjects after blood drawing following fasting the night before. All these services are provided without any extra cost to the study. The logistics for use of these services have all been worked out and are working smoothly. The PI also met with BONREC administrator and DEXA technician to work out the logistics of DEXA scanning needs for this study. This too is currently working smoothly.

- start hiring process for the Project and Enrollment Coordinators with the goal of hiring them by the 3rd month, and training the Project Coordinator by the 4th month—Accomplished; both Project Coordinator now called Research Coordinator, and the Enrollment Coordinator, now called Outreach Coordinator are hired and trained at this time. However, the PI was having some difficulty in hiring the right candidate for the Research Coordinator position. We hired Ms. Laura Snydman, in October, 1999. She left the study in February, 2000, because she decided that the recruitment component, i.e. to advertise the study within the AA community was too demanding and not something she would be interested in doing as part of her role as Research Coordinator. Ms. Christine Gebeshian was hired in March, 2000, but became sick with sciatica soon after that and was bedridden for about two months. We started the hiring process immediately to find a replacement for her. However, Ms. Gebeshian became better and decided to come back to the study in June, 2000. Because of our experience in losing time with Ms. Gebeshian's illness, we decided to hire a back up student assistant, Ms. Jessica Schletter. Ms. Schletter had indicated that she would work as our back up or Assistant Research Coordinator to assist in screening women and taking body measurements throughout the fiveyear study period. This made it appealing for the PI to have her on the study team. Both Ms. Gebeshian and Ms. Schletter were trained to screen women, and take body measurements. However, the PI was forced to terminate Ms. Gebeshian's employment with the study due to personality difficulties at the end of June, 2000. The PI was for the third time again actively seeking to hire a Research Coordinator for the study. The PI found a suitable candidate, Ms. Nikki Leiser, to fill the position. Ms. Leiser had also indicated an interest to work on the study over the five-year period. This was appealing to the PI who is looking for someone to take on this position long term to ensure the smooth running of the project without the interruption of another hiring process to fill in that position. Ms. Leiser, however, could only start work in September, 2000. With the student taking the role of Research Coordinator to cover study needs till September, 2000, the PI agreed to hire Ms. Leiser with a start date of September 5, 2000. To ensure study continuity in the event that our Research Coordinator takes sick leave or vacation time, and to get additional help for our Research Coordinator in case of increased screening of interested women demands, we realize the need to have someone fill in for the Research Coordinator or to assist her in her duties. This is the reason we are currently requesting approval to introduce a new component of this study, the inter-observer-variability component. We have requested and obtained approval from our Tufts HIRC to undertake an inter-observer variability component of this study to ensure reliable, valid and consistent measurements taken by two or more individuals (Appendix 1). However, this has not been approved by DOD HSSRB as yet due to some additional requirements on their part for which we have not as yet gotten the chance to respond to. We plan to work on meeting all the DOD HSSRB requirements following this report so we can proceed with getting this new component of the study accomplished.
- purchase all supplies needed for year 1 of study Accomplished.
- **finalize, and make copies of all questionnaires, consent forms, and other materials needed for the study**—Accomplished. Please refer to Appendix 2 for final approved copies of the following: (1) main study consent form, donation form and medical release form, and (2) telephone screening questionnaire, 4-day food record (4DFR) booklet, food frequency questionnaire, medical questionnaire, and physical activity questionnaire. The telephone screening and medical questionnaires approval process by Tufts HIRC took a very long time about three months, a highly unusual situation, due to an overwhelming number of research protocols that needed reviewing by the Tufts HIRC staff at that time, i.e., from

October 27, 1999 to February 17, 2000 (The PI was on maternity leave from November 14, 1999 to February 14, 2000, but was in regular touch with the other study team members throughout that time). Following this the protocol was due for recertification on February 24, 2000. Recertification approval was not given till March 21, 2000. All these meant that the PI was unable to proceed with that phase of the study which screens women and gets them through the study protocol all that time. This coupled with having our Research Coordinator leave the study in February, 2000, due to reasons stated above, gave our study a very slow start. In order to develop our study eligibility criteria and the study questionnaires, the PI did an exhaustive search of the literature, and had several meetings with the study consultants and other experts to obtain their feedback (the study eligibility criteria are enclosed in Appendix 3).

• develop flyers, and other materials needed for recruitment of the target population, and get approval of the HIRC for use of these materials – Accomplished. Please refer to Appendix 4 for copies of our approved study flyers, and brochure. Based on feedback from interested women, and the study team members, the PI submitted a revised study flyer and cover letter for the study brochures (see Appendix 5) for approval to the Tufts HIRC, and DOD HSSRB. The Tufts HIRC approved these flyers, but not the DOD HSSRB, as yet. Also developed were enlarged flyers for display at health fairs and other community activities.

Task 2. Recruit subjects and collect data (Months 5 to 54)

advertise study to the the AA postmenopausal population using various strategies (old and new). and established and new contacts within the AA community - These activities are in progress. We have had to undertake aggressive labor intensive advertising. The flyers are critical in these efforts. In general, the response in this population to participation in research activities have been quite reserved, and slow. Many are suspicious, do not like to be a "guinea pig" (these words are heard quite frequently from this population), and are slow to respond to advertisements. Some interested callers said it took them several weeks after receiving the flyer to decide to participate in the study. Currently we have contacted at least 250 churches, 15 community health centers, 20 private organizations, 15 public organizations, and 60 other miscellaneous contacts such as malls, stores, beauty salons, local libraries, elderly housing complexes, radio stations, et cetera. We have also advertised in 22 newspapers and other publications widely read by the Black community and seniors in the Boston area. We have participated in more than 20 health fairs and various other community activities (such as the recent "Million Family March" send off). Flyers have been distributed in the areas highly populated by Blacks in Boston, namely Roxbury, Dorchester and Mattapan. For lack of manpower to distribute flyers to stores, workplaces, etc., we have asked individuals and our various contacts to help distribute our flyers where they will be publicly visible. This approach has been successful to a certain degree, and we have been receiving calls from women who indicated that "someone put up a flyer at work," or that they have seen the flyers where we had not directly contacted those places. Although we do target older women, in general we would ask anyone who is Black (males and younger women) to inform those who may qualify about the study.

<u>Churches:</u> Despite the great efforts made to reach out to churches, we find this avenue for recruitment a very challenging one, with only very few interested women calling because of our contacts with churches. We are not currently willing to give up approaching churches for recruitment. Feedback obtained has been that there is a need to establish a relationship with the church congregation so as to obtain their trust. This factor actually applies to all efforts, where if there is a level of trust developed between the outreach worker and the potential subjects, the potential subjects are more likely to call to participate. Again this approach is labor intensive. We will need to frequently contact the churches, attend their health fairs, replenish flyers at these churches, and try to specifically target churches with a

larger congregation of older women. Other approaches would be to get information about the study in the church bulletins and to get a member or a minister to announce this study to the congregation after church services. There are churches which publish newsletters and we are also attempting to get information about the study in these church bulletins. In the future, the PI or a study team member will request to give talks about the study at these churches, particularly during activities organized by the women's ministry. We find that individuals who have completed the study are our best proponents. One has actually been actively helping us with the recruitment effort since her participation in September, 2000, attending church services and other community events, reassuring other women that this study will treat them with the utmost respect, and will give them valuable feedback about themselves. In addition, women were also told that the data obtained from their participation will provide much needed data on factors related to increased risk of breast cancer in this population.

Community Health Centers: Our outreach efforts directed at community health centers have been met with varying levels of success. Many of our callers saw flyers at Dimmock community health center for one. Other community health centers would accept flyers, but not that many calls were received by women seeing flyers there. Directors and medical officers of other health centers such as Mattapan community health center, however, are requesting that we provide summary statistics of women living in their areas of service who participated in the study in exchange for their help in recruiting women. We had not been able to agree to this at this time pending approval from DOD HSSRB about this. Following approval, we will meet with these directors and medical officers to explain to them the importance of this study, and the methodology involved, et cetera, and plan to answer their questions to their satisfaction so as to obtain their assistance in recruitment. This will translate into what we see as a major step in our recruitment efforts. Women tend to trust their doctors, and if encouraged to participate in the study by their doctors would tend to do so more than otherwise. For the future we will discuss with the directors and medical officers about the possibility of conducting screenings of women for eligibility at these centers, and even conducting the study there utilizing their blood drawing services, exam room, etc. These will minimize travelling requirements which we hear is a complaint from those interested but have difficulty with transportation. Women can then be arranged to be transported to the New England Medical Center for their DEXA scans. We will continue with attending health fairs organized by the community health centers, and possibly arranging to give talks at the health centers about the study whenever possible.

<u>Newspapers/Other Publications</u>: We have had good success in advertising the study in newpapers and other publications widely read by the Black population. These include the Bay State Banner, Dorchester Reporter, Dorchester Community News, South End News, Black Pages of New England, etc. The only constraint here is the cost of these advertisement which are exhorbitant. However, we will work on pacing these advertisements throughout the second year of this study to ensure they are kept up, but within the study budget.

Other Avenues: The success of our efforts in distributing flyers in stores, libraries, elderly housing developments/complexes have been difficult to determine. Many women who called forget where they saw information about the study. Some merely said, they "saw a flyer." As mentioned below, we were not able to contact a large number of women for various reasons, and this means we are not able to determine how they heard about the study either. We will continue efforts to distribute flyers at these and other places for the second year of this study.

We have also started exploring linking our study website (http:\\www.tufts.edu/med/research/bcrs.html) to those of other organizations, or at least making requests for this, and researched the websites targeting the Black population. We have already identified 70 websites and contacted some of these. We will pursue this effort further in the future. It may be questionable if our target population can be reached successfully through this medium, but we must explore all possible avenues.

<u>New Endeavours Planned for Year Two</u>: As the study is running smoothly now, for the second year of funding, in addition to what we have already mentioned above, we may conduct many or all of the following:

- 1. <u>Focus groups</u>: we may undertake this activity to determine needs, e.g., transportation needs, as well as to get feedback on our study flyers, what would encourage Black women in this age group to participate in a research study, and other factors we may have overlooked in our first year,
- 2. <u>Getting the support of Black leaders in the community</u>: we will be identifying more key leaders within the community, especially women leaders, to obtain their support for the study, and help in encouraging our target population to participate in the study. This will form an important component of our study promotional activities for the second year.
- 3. <u>Press releases</u>: we may do this in newspapers widely read by our target population to give the study the publicity it may need,
- 4. <u>Contacting cancer (particularly breast cancer) survivors and families groups:</u> we believe these groups will be enthusiastic about helping us inform women about the study. These groups we feel will help promote the study more feverishly given their experiences with cancer/breast cancer or having a family member with the disease,
- 5. <u>Contacting other previously uncontacted organizations</u>: we will actively continue expanding our contacts, especially those serving our specific target population,
- 6. <u>Mass mailing</u>: we may work with a mass mailing company, ADVO, to mail information about the study to 77,000 households in areas highly populated by our target group, such as Dorchester, Roxbury, and Mattapan,
- 7. <u>Be involved in more community activities</u>: we will be more regularly looking out for any worthwhile community events announced in the local newspapers widely read by our target population for study promotional services, and
- 8. <u>Arrange to give talks about the study</u>: we will arrange to do this at community functions, libraries, women's groups, and other organizations.
- screen interested women for eligibility -- This is also in progress. Currently, the total number of telephone calls received from interested women are 162 (Appendix 6). Four women did not leave a telephone number to call them. Of the 158 women with telephone numbers, we have already called 151; 100 of these were already screened over the telephone. Forty women (or 26% of those called) never returned our telephone calls or are "unreachable." The study policy is to try to contact women at least five times before considering them "unreachable." Of those who do not qualify (N=71), reasons for ineligibility include having a disease (N=17; 7 were diabetic and 4 had breast cancer), those with first degree relatives with breast cancer (N=7), still premenopausal (N=11), menopause due to surgery (N=10), and lifestyle and weight issues (N=15). Eight women were no longer interested or changed their minds about participating. Numbers reported here are not static and changes daily.
- recruit eligible women into study (expected rate of recruitment is 46 per year for years 1, 2, 3 and 4, and 26 for year 5; total N=210) -- The number of women eligible after telephone screening is 15 (or 15% of those screened). To increase the number of eligible women in this study, two changes in the eligibility criteria were made, and are approved by our Tufts HIRC. These are changing the eligibility criteria to include (1) women who are at least one year postmenopausal from the originally proposed 4 years postmenopausal, and (2) all eligible women regardless of their level of fat intake from the originally proposed women with at least 30% of calories coming from fat. Please refer to Appendix 7 for copies of our letter of request for these changes and the approval letter from Tufts HIRC. There are currently 14 women out of the 100 screened who are interested but do not currently qualify (i.e., women with "pending eligibility"). These do not currently qualify as they just recently either quit smoking, stopped their weight loss regimen, and stopped taking hormones. We will contact them in about 6

months to re-screen them.

To get the eligible women through the study protocol is another challenge. Of the 15 women who are eligible, 10 have completed going through the consent form process and getting instructions on how to complete the various study questionnaires. This takes place during a "screening appointment." To date we have 1 woman with and 4 needing a "screening appointment," 2 with blood drawing and body measurements appointments, and 3 who have already completed going through the study protocol. These numbers are below the expected rate due to various reasons detailed above, with one main reason being our difficulty in getting the right candidate for the Research Coordinator position till later in the study period. Another main factor is that it is a highly time-consuming effort to get many of the eligible subjects through the various study protocol. Many of the questionnaires returned are incomplete, despite careful and clear instructions given by our Research Coordinator. Incomplete questionnaires mean that the Research Coordinator would need to spend a lot of time over the telephone with these subjects to go over the questionnaires to make sure that all needed data are obtained. In addition many of these women "just love to talk!" Conversations with them had to be skillfully manoeuvred to what is key for the study and terminated when the purpose of the interaction is met. The screening appointments were made only after the present Research Coordinator joined the team on September 5, 2000, and was trained. Given the challenges with reaching interested women and getting eligible women through the study protocol, our recruitment status is progressing reasonably well. This is particularly so given we have only actually been doing this (screening appointments and actual data collection) for about almost two months. Other challenges include forgetfulness among these women of appointment times and dates, and not coming for appointments after several repeat "screening appointments." With plans to intensify and better strategize our recruitment efforts for year two, we expect to increase the momentum such that more women will be calling per month (our current number of calls are between 20 and 30 calls per month for the last two months, and already there are 47 calls this month of October). The higher the volume of telephone calls we receive the more likely it is that we will get the number of eligible women going through the study protocol.

Task 3. Manage incoming data, preliminary analyses, and annual report writing (Months 5 to 54)

- set up datafiles for medical history, socioeconomic, dietary intake, physical activity, anthropometric—currently the database has already been set up for entry of data from our medical questionnaire (which includes socioeconomic data) and physical activity questionnaire. Due to the small number of women who have gone through the protocol at this time, we are prioritizing data collection activities rather than data entry. Dietary data from 4DFRs are currently being entered by our Nutrition Data Coordinator using the Minnesota Database. Our priority right now would be to screen interested callers and getting them through the study protocol so as to meet our goals for getting the 46 women we had projected we could recruit for year 1 as soon as possible. As the hiring and training process is now behind us, we look forward to focusing more closely on our recruitment efforts to meet our goals for years one and two of the study this coming year.
- enter and clean data, and undertake all data quality control measures (ongoing) we have not currently undertaken this component of our work as indicated above, with the exception of our 4DFR data.
- conduct preliminary analyses (once a year) for annual report —not undertaken as yet due to very small number recruited currently, and because our Research Coordinator is focusing on screening women and getting eligible women through the study protocol.

• prepare report at end of each project year—Accomplished.

Task 4. Manage blood samples and ship samples for analysis of hormone levels (Months 5 to 54)

- set up folder for storing blood sample records Accomplished.
- store all blood samples till ready for shipment to Dr. Longcope's laboratory (samples will not be stored longer than 6 months prior to shipment)—Blood samples for hormone determinations are stored at the GCRC, NEMC, at -70 degrees Centigrade.
- **ship blood samples to Dr. Longcope's laboratory for hormone analyses every 6 months** Not accomplished due to small numbers and samples have not been stored for more than 6 months currently.

Task 5. Final analyses and report writing (Months 55 to 60)

- conduct final data analyses for study --Will be undertaken at the appropriate time.
- prepare final report and initial manuscripts -- Will be undertaken at the appropriate time.

KEY RESEARCH ACCOMPLISHMENTS:

None to date.

REPORTABLE OUTCOMES:

None to date.

CONCLUSIONS:

Postmenopausal Black women are one of the most difficult to recruit and thus least studied populations in the U.S.. This is one reason why this study is a very important one, and must continue despite the challenges we have encountered in year one. We find this group of women is even more difficult to recruit for a research study than premenopausal Black women. Based on our first year of research, we are pleased to report that although it is indeed a challenge to recruit postmenopausal Black women for a research study, it is not impossible and can be done. This is a highly labor intensive and time-consuming work. Care must be taken to establish that trust between the researchers and the potential subjects. Patience and perseverence are the two main qualities that our study team has learned to embrace to be successful in getting women to call us and to get them through the study protocol. Subjects must be treated with the utmost care, and respect at all phases of the study. The study success also depends on whether women going through the study protocol had a positive or negative experience. Our study team is culturally very sensitive to the needs of this population, and we do our best to ensure that each subject has a positive experience with the study. With time, we are witnessing increasing support for the study, and many interested callers have volunteered to help distribute our study flyers and inform other women about this study.

Data emanating from this study will add to the virtually non-existent data on the (a) sex hormone profile, and (b) body fat distribution, and body composition of postmenopausal AA women. Significantly more advanced stage and larger tumors, and higher breast cancer mortality rate in AA women compared to Caucasian women have been observed in several studies. In addition to answering questions posed by this main study, the data collected for this study may provide a strong foundation for future work to determine factors associated with these reported racial differences in breast cancer outcomes. Valuable data on dietary intake and physical activity levels in this population will also be obtained. In addition, other scientists within the Tufts community have expressed interest to collaborate with us. We plan to work with these other scientists to either collect additional data and/or use existing data to answer important questions pertaining to heart disease, bone health, and vitamin A metabolism in this population. We will be working very closely with our Tufts HIRC and DOD HSSRB to obtain approval for these research collaborations.

REFERENCES:

None.

APPENDICES:

Appendix 1: Inter-observer-variability consent form approval letter by Tufts HIRC

Appendix 2: Copy of study questionnaires and consent, donation and medical release forms

Appendix 3: Study eligibility criteria list

Appendix 4: Approved study flyers, and brochure

Appendix 5: Revised study flyer and cover letter approved by Tufts HIRC but not by DOD HSSRB

Appendix 6: Study recruitment status

Appendix 7: Letter of our request for approval to change two of the study eligibility criteria, and Tufts HIRC approval letter

APPENDIX 1

New England Medical Center A Lifespan Partner

4354





Barnett, Junaidah PH.D. COMMHLTH Box ST-203 TUSM

Login No.:

N.A. Mark Estes, III, M.D. Professor of Medicine, Tufts University School of Medicine Chairman, HIRC

Judy A. Tesnow Administrator

Re:	BODY FAT PHENOTYPES, HORMONES, AND BREAST CANCER IN
POSTMENOPA	USAL AFRICAN-AMERICAN WOMEN (DOD)

PROTOCOL CHANGES ADMINISTRATIVE	CLY APPROVED	DATE: 05/30/00		
Amendment #:	dated:	Contact Letter:		
Interobserver - Variability Addendum #:x	dated: <u>05/03/00</u>	Other: Revised Medical Questionnaire		
Revision:	dated:			
CONSENT FORM(S): (incorporating protoco	ol changes)			
Administratively Approved as Revise	ed: Number o	f Consent Forms:		
Enclosed for use is a copy of each approved and validated consent form which has been dated with the date of administrative approval and is valid until the date of recertification. Please discard earlier versions.				
Must be Revised (see attached copy with changes):				
No Consent Form Changes:				
Not Applicable:				
COMMENTS: Revised Screening Questionnair	e not approved pendin	g review by the full Committee		
Please note that the protocol must undergo fu		at the recertification date.		
Signature of Chairman, Vice Chairman, HIRO	C Member	DATE		
CC: CSU #744 Abby Shevitz, M.D.				

THIS LETTER MUST BE RETAINED FOR YOUR RESEARCH FILES.

COMBERTA A CAMA

Body Fat Phenotypes, Hormones and Risk of Breast Cancer in Postmenopausal African-American Women:

Determination of Interobserver-Variability

Principal Investigator: Junaidah B. Barnett, Ph.D.

Nutrition Unit, Stearns 203

Tufts University School of Medicine 136, Harrison Avenue, Boston, MA 02111 Medical Monitor: Abby Shevitz, M.D., M.P.H.

Purpose: You are being asked to participate in a study intended to determine variability in measurements between observers. These measurements relate to our 'Body Fat Phenotypes, Hormones, and Risk of Breast Cancer in Postmenopausal African-American Women' study for which we are using more than one observer (or data collector). Findings from this study will allow us to compare differences in readings, and will help determine whether or not we could combine data from our different observers. This subsection of the study will enroll about 10 postmenopausal African-American women.

Screening Procedure: Subjects whose measurements have been taken for the 'Body Fat Phenotypes, Hormones, and Risk of Breast Cancer in Postmenopausal Africa-American Women' study are eligible to participate.

Height, Weight, and Percent Body Fat Measurements: Your height, weight, and percent body fat and body fat distribution will be measured by two or three observers. Percent body fat will be measured with the Futrex machine which uses infrared light to measure body fat at the bicep muscle. Percent body fat will also be measured by the bioelectrical impedance analysis (BIA) method using a Bioelectrical Impedance Plethysmograph. The technique consists of placing electrodes on the surfaces of the hands and feet, and passing a low electric current to the electrodes on the surfaces of the hand and foot to measure resistance and reactance. The intensity of the current utilized is negligible and not detectable by you. However, individuals with pacemakers and implanted defibrillators will be excluded from the study. Measurements will be done three times to calculate percent body fat. This procedure will take less than 10 minutes. All measurements using the futrex machine and the BIA will be done three times by each observer to calculate percent body fat.

Body Fat Distribution Measurements: Body fat distribution will be measured using a tape measure to measure the size of your waist (1 inch above the navel and the narrowest part of your body between the rib cage and the hip), abdomen (the largest part of your body around the abdomen), and hip (the largest part of your body around the buttocks). Anthropometric skinfold measures at the chest, below the shoulder blade, below the waist above the hip bone, biceps, triceps, abdominal, and thigh areas will be taken using the Lange skinfold calipers. Each measurement takes approximately five minutes. All measurements using the tape measure and the skinfold calipers will be done three times by each observer.

	The duration of your participation is estimated to be one how			
per observer.	Participant's initial:			

Ver 1.0/May, 00

APPROVED: 05/30/00 VALID THROUGH: 03/21/01 Witness' initial:

Body Fat Phenotypes, Hormones and Risk of Breast Cancer in Postmenopausal African-American Women: Determination of Interobserver-Variability

> Principal Investigator: Junaidah B. Barnett, Ph.D. Nutrition Unit, Stearns 203 Tufts University School of Medicine 136, Harrison Avenue, Boston, MA 02111 Medical Monitor: Abby Shevitz, M.D., M.P.H.

Benefits: As a participant in this study you will receive data on your height, weight, percent body fat, and body fat distribution measured free of charge. The data obtained in this study may not benefit you but are important in providing information on differences in measurements taken by more than one observer.

Risks: The risks in this study are minimal. All procedures described above are safe, non invasive, and rapid. There are minimal risks associated with the BIA procedure. The electrical current is that of a flashlight battery and is painless.

Telephone Numbers: If you have any questions about the study or experience any problems or research-related injury during the study, you should call one of the following persons:

(617) 636-0813 (day) (617) 325-6789 (eve) Dr. Junaidah Barnett Dr. Abby Shevitz

(617) 636-4234 page#1812 (617) 636-6726 (day)

Participation in this study is voluntary. Refusal to participate will involve no penalty or loss of benefits to which you are otherwise entitled. You may discontinue participation at any time without penalty or loss of benefits to which you are otherwise entitled.

Compensation: Each subject will receive a check for \$25 total for participation in this study. Payment will be made upon completion of all data collection procedures. You should receive your check by mail about two weeks after the completion of your participation in the study.

Costs: There will be no additional costs to you for participating in this study.

Confidentiality: All data collected for this study are confidential, and are accessible only to the Principal Investigator and her designated study personnel. Each subject and all her questionnaires will be labeled by a code number to prevent identification of the subject. However, representatives from the U.S. Army Medical Research and Materiel Command may inspect the records of the research in their duty to protect human subjects in research.

Participant's initial:
Witness' initial:

Ver 1.0/May, 00

APPROVED: 05/30/00 VALID THROUGH: 03/21/01

Body Fat Phenotypes, Hormones and Risk of Breast Cancer in Postmenopausal African-American Women:

Determination of Interobserver-Variability
Principal Investigator: Junaidah B. Barnett, Ph.D.

Nutrition Unit, Stearns 203

Tufts University School of Medicine
136, Harrison Avenue, Boston, MA 02111
Medical Monitor: Abby Shevitz, M.D., M.P.H.

It is the policy of the U.S. Army Medical Research and Materiel Command that data sheets are to be completed on all volunteers participating in research for entry into this Command's Volunteer Registry Data Base. The information to be entered into this confidential data base includes your name, address, Social Security number, study name and dates. The intent of the data base is two-fold: first, to readily answer questions concerning an individual's participation in research sponsored by USAMRMC; and second, to ensure that the USAMRMC can exercise its obligation to ensure research volunteers are adequately warned (duty to warn) of risks and to provide new information as it becomes available. The information will be stored at the USAMRMC for a minimum of 75 years.

PARTICIPANT'S STATEMENT

I have read this consent form and have discussed with Dr.Barnett or her representative the procedures described above. I have been given the opportunity to ask questions, which have been answered to my satisfaction. I understand that any questions I might have asked will be answered verbally or, if I prefer, with a written statement.

I understand that I will be informed of any new significant findings developed during this research study.

I understand that my participation in this study is voluntary. I understand that I may refuse to participate in this study, and that refusal to participate will involve no penalty or loss of benefits to which I might otherwise be entitled. I also understand that if, for any reason, I wish to discontinue my participation in this study whenever, I will be free to do so at any time without penalty or loss of benefits to which I would otherwise be entitled to. Also, if I choose to discontinue this will have no effect on my future care or treatment by my physicians or this hospital.

The United States Department of Defense is funding this research project. Should I be injured as a direct result of participating in this research project, I will be provided medical care, at no cost to me, for that injury. Where private citizens are enrolled, other than medical care that may be provided and any other

Participa	nt's	initial	
Witness'	initi	al:	

Ver 1.0/May, 00

APPROVED: 05/30/00 VALID THROUGH: 03/21/01

Body Fat Phenotypes, Hormones and Risk of Breast Cancer in Postmenopausal African-American Women: Determination of Interobserver-Variability

Principal Investigator: Junaidah B. Barnett, Ph.D.

Nutrition Unit, Stearns 203

Tufts University School of Medicine
136, Harrison Avenue, Boston, MA 02111

Medical Monitor: Abby Shevitz, M.D., M.P.H.

payments specifically stated in the consent form, there is no other compensation for my participation in this research. I understand that this is not a waiver or release of my legal rights. I should discuss this issue thoroughly with the P.I. before I enroll in the study.

If I have any questions concerning my rights as a research subject in this study, I may contact the Human Investigation Review Committee at (617) 636-7512.

I have been informed of the above-described study with its risks and benefits, and I hereby consent to the procedures set forth above. I have received a signed copy of this consent form.

I understand that as a participant in this study my identity and data relating to this research study will be kept confidential, except as required by law, and except for inspections by the study sponsor, the U.S. Army Medical Research and Materiel Command (USAMRMC), and except for the Voluntary Registry Database of the USAMRMC.

	Printed name of	Participant	Signature of F	articipant	Date
Permanent Address	s of Participant:				
I have explained to and the risks involv	ved in its performa				above described study
	Principal Invest	gator/Repres	entative D	ate	
Printed nam	ne of Witness	Signature of	of Witness	Date	_

Ver 1.0/May, 00

APPROVED: 05/30/00 VALID THROUGH: 03/21/01

APPENDIX 2

Copy of study questionnaires and consent, donation and medical release forms

Body Fat Phenotypes, Hormones and Breast Cancer in Postmenopausal African-American Women

Principal Investigator: Junaidah B. Barnett, Ph.D.
Nutrition Unit, Stearns 203
Tufts University School of Medicine
136, Harrison Avenue, Boston, MA 02111
Medical Monitor: Abby Shevitz, M.D., M.P.H.

Purpose: You are being asked to participate in a research study intended to determine how body fat distribution is associated with your estrogen and other hormone levels as they relate to breast cancer risk. There is growing evidence that women with upper body fat distribution are at a higher risk of breast cancer than those with lower body fat distribution. This is a cross-sectional study which means that all needed data will be collected from you only once, i.e., you will not be asked to return for another round of data collection once you have completed this study. The data collected will include blood samples, and various body measurements as well as dietary and physical activity data as indicated below. The study will enroll about 210 postmenopausal African-American women.

Screening Procedure: If you choose to participate in this study, screening procedures will be done which will include a dietary and medical history. Body weight and height will also be measured. Those with values not within our eligibility criteria will be excluded.

Blood Collections: Samples of blood will be collected. Each morning for two days a blood sample will be taken (20 ml on the first day, and 40 ml on the second day -- 20 ml is equivalent to about 4 tsp and 40 ml to about 8 tsp). All blood drawing requires an overnight fast (i.e. no foods or liquids other than water); eight hours before the first blood drawing for hormone analyses on day one, and fourteen hours before the blood drawing for lipid analyses on day two. The total amount of blood to be taken for the duration of this study is 60 mls (or 12 tsp).

Assessment of Dietary Intakes: In addition to blood collections, we will assess your usual eating pattern by asking you to complete a Food Frequency Questionnaire and a 4-Day Food Record (4DFR). You will be given clear instructions on how to complete the 4DFR. All foods and beverages consumed on the specified days should be recorded in a booklet; this takes less than 1/2 hour each day.

Percent Body Fat Measurements: Your percent body fat and body fat distribution will also be measured during one of the two days of blood collection. Percent body fat will be measured with the Futrex machine which uses infrared light to measure body fat at the bicep muscle. Percent body fat will also be measured by the bioelectrical impedance analysis (BIA) method using a Bioelectrical Impedance Plethysmograph. The technique consists of placing electrodes on the surfaces of the hands and feet, and passing a low electric current to the electrodes on the surfaces of the hand and foot to measure resistance and reactance. The intensity of the current utilized is negligible and not

Participar	it's in	itial:	
Witness'	initial:		

APPROVED: 03/21/00 VALID THROUGH: 03/21/01

Body Fat Phenotypes, Hormones and Breast Cancer in Postmenopausal African-American Women

Principal Investigator: Junaidah B. Barnett, Ph.D.
Nutrition Unit, Stearns 203
Tufts University School of Medicine
136, Harrison Avenue, Boston, MA 02111
Medical Monitor: Abby Shevitz, M.D., M.P.H.

detectable by you. However, individuals with pacemakers and implanted defibrillators will be excluded from the study. Measurements will be done three times to calculate percent body fat. This procedure will take less than 10 minutes. A total body DEXA (Dual Energy X-ray Absorptiometry) scanner will also be used to measure your percent body fat. You will be lying down on the device and the X-ray will pass through your body in a fine beam. Information about your body tissue density in the path of the beam will be fed to a computer incorporated in the system, and calculations will be made to determine your percent body fat. The duration of this procedure will be approximately 25 mins. You will be exposed to a maximal radiation exposure of 1.5 mRem, which is comparable to the natural background radiation all people receive normally in a two day period.

Body Fat Distribution Measurements: Body fat distribution will be measured using a tape measure to measure the size of your waist (1 inch above the navel and the narrowest part of your body between the rib cage and the hip), abdomen (the largest part of your body around the abdomen), and hip (the largest part of your body around the buttocks). Anthropometric skinfold measures at the chest, below the shoulder blade, below the waist above the hip bone, biceps, triceps, abdominal, and thigh areas will be taken using the Lange skinfold calipers. Each measurement takes approximately five minutes. Your body fat distribution will also be determined using the procedure mentioned above for the DEXA.

Assessment of Physical Activity: You will also be asked to complete the 'Nurses' Health Study II Physical Activity Questionnaire'. The questionnaire asks for your average time per week spent at various recreational and other activities during the past year. The questionnaire is estimated to take five minutes or less to complete.

Duration of Body Measurements and Blood Drawing: The duration of your participation on the day of body measurements and blood drawing is about 1 3/4 hours. On the day when only blood is drawn the duration of your participation is about 15 minutes.

Benefits: As a participant in this study you will receive, on request, a computerized printout of your dietary intake, and have your blood hormone levels, lipid levels, level of physical activity, and body fat composition and distribution measured free of charge. The data obtained in this study may not benefit you but may provide important scientific information.

Participant's	initial:
Witness' initi	al:

APPROVED: 03/21/00

Body Fat Phenotypes, Hormones and Breast Cancer in Postmenopausal African-American Women

Principal Investigator: Junaidah B. Barnett, Ph.D.
Nutrition Unit, Stearns 203
Tufts University School of Medicine
136, Harrison Avenue, Boston, MA 02111
Medical Monitor: Abby Shevitz, M.D., M.P.H.

Risks: The risks in this study are minimal. All procedures described above are safe, non invasive, and rapid. There are small risks associated with venipuncture which in rare cases results in an infection or an occasional black and blue mark. But, venipuncture performed by an experienced phlebotomist decreases these risks. There are minimal risks associated with the BIA procedure. The electrical current is that of a flashlight battery and is painless. The radiation exposure of 1.5 mRem from the DEXA is equivalent to about 2 days of natural background radiation all persons receive normally, and is not anticipated to have any significant effect.

Telephone Numbers: If you have any questions about the study or experience any problems or research-related injury during the study, you should call one of the following persons:

Dr. Junaidah Barnett (617) 636-0813 (day) (617) 325-6789 (eve)
Dr. Abby Shevitz (617) 636-6726 (day) (617) 636-4234 page#1812

Participation in this study is voluntary. Refusal to participate will involve no penalty or loss of benefits to which you are otherwise entitled. You may discontinue participation at any time without penalty or loss of benefits to which you are otherwise entitled.

Compensation: Each subject will receive a check for \$100 total for participation in this study. Payment will be made upon completion of all data collection procedures. You should receive your check by mail about two weeks after the completion of your participation in the study. If you choose not to complete participating in the study, your payment will be prorated. You will receive \$60 if your body measurements were taken and if you have gone through one blood drawing before your withdrawal from the study. For the second blood drawing you will receive \$40.

Costs: There will be no additional costs to you for participating in this study.

Participant's initial:_______Witness' initial:______

APPROVED: 03/21/00

Body Fat Phenotypes, Hormones and Breast Cancer in Postmenopausal African-American Women

Principal Investigator: Junaidah B. Barnett, Ph.D.
Nutrition Unit, Stearns 203
Tufts University School of Medicine
136, Harrison Avenue, Boston, MA 02111
Medical Monitor: Abby Shevitz, M.D., M.P.H.

Confidentiality: All data collected for this study are confidential, and are accessible only to the Principal Investigator and her designated study personnel. Each subject and all her specimens and questionnaires will be labeled by a code number to prevent identification of the subject. However, representatives from the U.S. Army Medical Research and Materiel Command may inspect the records of the research in their duty to protect human subjects in research.

It is the policy of the U.S. Army Medical Research and Materiel Command that data sheets are to be completed on all volunteers participating in research for entry into this Command's Volunteer Registry Data Base. The information to be entered into this confidential data base includes your name, address, Social Security number, study name and dates. The intent of the data base is two-fold: first, to readily answer questions concerning an individual's participation in research sponsored by USAMRMC; and second, to ensure that the USAMRMC can exercise its obligation to ensure research volunteers are adequately warned (duty to warn) of risks and to provide new information as it becomes available. The information will be stored at the USAMRMC for a minimum of 75 years.

Participant's	initial:
Witness' initi	al:

APPROVED: 03/21/00

Body Fat Phenotypes, Hormones and Breast Cancer in Postmenopausal African-American Women Principal Investigator: Junaidah B. Barnett, Ph.D. Nutrition Unit, Stearns 203 Tufts University School of Medicine

136, Harrison Avenue, Boston, MA 02111 Medical Monitor: Abby Shevitz, M.D., M.P.H.

PARTICIPANT'S STATEMENT

I have read this consent form and have discussed with Dr.Barnett or her representative the procedures described above. I have been given the opportunity to ask questions, which have been answered to my satisfaction. I understand that any questions I might have asked will be answered verbally or, if I prefer, with a written statement.

I understand that I will be informed of any new significant findings developed during this research study.

I understand that my participation in this study is voluntary. I understand that I may refuse to participate in this study, and that refusal to participate will involve no penalty or loss of benefits to which I might otherwise be entitled. I also understand that if, for any reason, I wish to discontinue my participation in this study whenever, I will be free to do so at any time without penalty or loss of benefits to which I would otherwise be entitled to. Also, if I choose to discontinue this will have no effect on my future care or treatment by my physicians or this hospital.

The United States Department of Defense is funding this research project. Should I be injured as a direct result of participating in this research project, I will be provided medical care, at no cost to me, for that injury. Where private citizens are enrolled, other than medical care that may be provided and any other payments specifically stated in the consent form, there is no other compensation for my participation in this research. I understand that this is not a waiver or release of my legal rights. I should discuss this issue thoroughly with the P.I. before I enroll in the study.

I understand that there is a possibility that the blood samples that I am providing under this study may also be used in other research studies and could potentially have some commercial applicability. I will be asked to sign a separate donation consent form allow their use.

Participant's	ini	tial:	
Witne	ess'	initial:	

APPROVED: 03/21/00

Body Fat Phenotypes, Hormones and Breast Cancer in Postmenopausal African-American Women

Principal Investigator: Junaidah B. Barnett, Ph.D.
Nutrition Unit, Stearns 203
Tufts University School of Medicine
136, Harrison Avenue, Boston, MA 02111
Medical Monitor: Abby Shevitz, M.D., M.P.H.

If I have any questions concerning my rights as a research subject in this study, I may contact the Human Investigation Review Committee at (617) 636-7512.

I have been informed of the above-described study with its risks and benefits, and I hereby consent to the procedures set forth above. I have received a signed copy of this consent form.

I understand that as a participant in this study my identity and my medical records and data relating to this research study will be kept confidential, except as required by law, and except for inspections by the study sponsor, the U.S. Army Medical Research and Materiel Command (USAMRMC), and except for the Voluntary Registry Database of the USAMRMC.

	Printed name of Participant	Signature of Participant	Date
Permanent Addres	ss of Participant:		
		(street, city,	, zip code)
I have explained t study and the risk ability.	s involved in its performance	_ the nature and purpose of . I have answered all questi	
	Principal Investigator/Repres	entative Date	
Printed	name of Witness Signat	ure of Witness Da	 te

APPROVED: 03/21/00

DONATION FORM

Body Fat Phenotypes, Hormones and Breast Cancer in Postmenopausal African-American Women Principal Investigator: Junaidah B. Barnett, Ph.D. Nutrition Unit, Stearns 203

Tufts University School of Medicine 136, Harrison Avenue, Boston, MA 02111

Medical Monitor: Abby Shevitz, M.D.

I understand that the blood samples collected for this study may be used in other research studies and may potentially have some commercial applicability. I understand that these blood samples will be coded with a unique number and there will be no personal identifiers. I voluntarily and freely donate my blood samples to the study sponsor (Tufts University School of Medicine) and hereby assign all right, title, and interest to these items. I will receive a copy of this Donation Form.

Printed name of Participant	Signature of Participant	Date	
Printed name of Principal Investigator/ Representative	Signature of Principal Ir Representa	_	Date
Printed name of Witness	Signature of Witness	— — Date	

Ver 1.0/August, 1999

APPROVED: 03/21/00



TUFTS UNIVERSITY

School of Medicine

Community Health/Nutrition Infection Unit

CONSENT FOR THE RELEASE OF MEDICAL INFORMATION

Volunteer's Name:	Date of Birth:
Address:	
(Street)	(Apt. No.)
	()
(city, state, zip)	(Telephone)
I hereby authorize	
(Name of hospital or phy	rsician)
Health, Tufts University School of Medicin	, Department of Family Medicine and Community e, the following discharge diagnosis in my medical ich I was diagnosed with benign\other breast disease
Please send the medical record information	to:
Junaidah Bajrai Barnett, Ph.D. Assistant Professor Nutrition Unit Department of Family Medicine and Community Health Tufts University School of Medicine 136 Harrison Avenue Boston, MA 02111	
I may withdraw this consent by giving writt the release of the information.	en notification to the above party at any time prior to
In the absence of my prior withdrawal, this signed.	consent will expire in ninety (90) days after it is
Signature of Volunteer: Date of Request:	
Harrison Avenue APPROVED: 03/21/	/00

136 **Bost** Ph: (617) 636-3811 Fax: (617) 636-3810


Body Fat Phenotype and Risk of Breast Cancer Study (Postmenopausal) SCREENING QUESTIONNAIRE

HOW DID YOU HEAR ABOUT THE STUDY?	
	Date:
Name:	Permanent Address to mail study results:
Mailing Address:	
Tel.: dayevening	
Demographics/Anthropometrics/Other	
Race: Black White Other	
Age: Date of Birth:	
Age: Date of Birth: Weight % IBW BMI	How long at this weight?
Waist Hip W/H Ratio	
Have you lost more than 10 lbs in the last 6 months?	NoYes
Are you on a weight reduction regimen? NoYes	
Are you planning to go on a weight reduction regimen's	? NoYes
Are you in training for any athletic competition? No	Yes
Have you smoked in the last 6 months? NoYes	
Do you eat meat? (e.g., red meat, pork, poultry, fish) N	loYes
How many alcoholic drinks do you have per week? History of breast cancer in immediate blood relatives? I	
History of breast cancer in immediate blood relatives? I	NoYes (mother/sister/daughter)
Harmone Hac/Menoneugal Status	
Hormone Use/Menopausal Status:	the last year? No. Ves Uncertain
Menstrual periods: Have you ever had a period during	the last year? No res Oncertain
Was your menopause natural? No Yes	Van
Have you taken any hormones in the last 6 months? No	
How many years altogether (please estimate) have you	
Did you have any ovary(ies) removed after menopause	Uncertain , if i es, now many:
Breast Health/Other Medical Conditions:	Oncertain
Have you ever had breast cancer? No Yes	
Have you ever had a biopsy proven adenoma (benign to	_ umor) of the breast? No Yes
Have you ever had breast surgery? No Yes	
Trave you ever had breast surgery. Two	, if yes, pieuse explain.
Do you have any medical conditions? Bowel Disease	Thyroid Disease Cancer Diabetes
•	Heart Disease Liver Disease HIV+
Are you currently on any medications? NoYes	, if Yes what?
How long?	
Intake of Foods/Vitamins/Supplements/Herbal Med	
Are you on a special diet? NoYes, if Yes, p Have you been eating the same way in the last 2-3 mon	lease explain:
Have you been eating the same way in the last 2-3 mon	ths? YesNo, if No, please explain:
Do you take vitamins? NoYes, if Yes, wh	at type?
How often?	
Do you take any over the counter supplements or herba	Il medications for menonause/for other reasons?
No Yes if Yes, what?	How often?
NoYes, if Yes, what?	if yes how much?
to to	, - , - , - ,

Please note how many times	per day/week/ or month you eat the follow	ing food items:
Red Meat No Yes	Milk type	Eggs
Beef	Cheese type	Coffee, Tea
Pork	Yogurt type	Alcohol
Ham	Ice cream	Other drinks
Veal	Donut, muffin, croissant, bagel	Salad dressing
Chicken w/skin		Oil
w/out skin	Cookies	Butter
Lunch meat	Cake/Pie	Margarine
Hot dog	Candy bars	Spreads:cream cheese, PB
Other meats	Chips/doritos	
Pizza	CrackersKind	Fast Food (ie. french fries)
Prepared entrees	Nuts/seeds	
		Other

Other Information/Notes:

FOOD QUESTIONNAIRE



This form asks about your usual food intake. It takes about 30 minutes to complete. Please follow these instructions:

- · Answer each question as best you can estimate if you aren't sure.
- · Use only a No. 2 pencil.
- Be certain to completely blacken in each of your answers, and erase completely if you make any changes.

PLEASE PRINT YOUR NAME IN THIS BOX.
PLEASE DO NOT WRITE OUTSIDE THE BOXED AREA.

1. IDENTIFICATION NUMBER

0	0	0	0	0	0	0	0	0
1	1	1	1	1	1	1	1	1
2	2	2	2	2	2	2	2	2
3	3	3	3	3	3	3	3	3
4	4	4	4	4	4	4	4	4
(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)
6	6	6	6	6	6	6	6	6
7	7	7	7	7	7	7	7	7
(8)	8	(8)	8	(8)	8	8	(8)	(3)
9	9	9	9	9	9	9	9	9

2. SEX
O Male
O Female

3.	AGE
	C Less than 20
	O 20-29
	O 30-39
	O 40-49
	O 50-59
	O 60-69
	O 70+

4. TODAY'S DATE

O Jan	D,	ΔY	YE	AR_
○ Feb				
○ Mar	0	0	91	0
O Apr	1	1	92	0
○ May	2	2	93	\circ
O Jun	3	3	94	\circ
O Jul		4	95	0
O Aug		(5)	96	\circ
O Sep		6	97	\circ
O Oct		7	98	\circ
○ Nov		(8)	99	0
O Dec		9	00	0

5. WEIGHT 6. HEIGHT

pounds	ft. in.
	00
000	111
000	22
222	33
333	44
444	55
555	66
666	77
777	8
888	9
999	110
	111

HHHQ, FULL.JAN 92

National Information Services (NIS) 02/92 MM89475: 7

Printed in U.S.

7.	Do you smoke cigarettes now? ○ No														
	○ Yes IF YES, on the average, about how many cigarettes a day do you smoke now? ○ 1 - 5 ○ 6 - 14 ○ 15 - 24 ○ 25 - 34 ○ 35 or more														
8.	8. About how many times have you gone on a diet to lose weight? O Never O 1 - 2 O 3 - 5 O 6 - 8 O 9 - 11 O 12 or more														
9.	During the past year have you	taken	any	vitam	ins o	r min	erals	?							
•	O No O Yes, fairly regularly O Yes, but not regularly IF YES, what do you take fairly regularly?														
				IUMB	ER O	F TAI	BLET	S		F	OR F	WO	MAN	YEA	RS?
	VITAMIN TYPE	NONE	1-3 PER WEEK	4-6 PER WEEK	1 PER DAY	2 PER DAY	3 PER DAY	4 PER DAY	5+ PER DAY	T	ESS HAN 1 YR	1-2 YEARS	3-5 YEARS	6-9 YEARS	10+ YEARS
	Multiple Vitamins))		
	Stress-tabs type	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0		0	0 0	0 0	0 0	0 0
	Therapeutic, Theragran type One-a-day type		0	0	0	0	0	0	0		0	0	0	Ö	0
	Other Vitamins											_	_		
	Vitamin A	0	0	0	0 (0 (0 0	0 0	0 0		0 0	0 0	0 0	0 0	0 0
	Vitamin E Calcium or Tums	0 0	0 0	0 0	0 0	0 0	0 0	0	0		0	0 (0	0	0
	Vitamin C	0	0	0	0	0	0	0	0		0	0	0	0	0
	If you take Vitamin E or Vitamin How many units per Vitamin E to How many milligrams per Vitam Do you regularly take pills con No or don't know	ablet? in C to tainin	ablet?	, (O E) (⊃ 400 ⊃ 500			000 000		Oon't k Oon't k	
	○ Zinc ○ Sel	enium	1		0					-					
12.	What kinds of fat do you <i>usual</i> ○ Don't know or don't cook								saute)' or no oi		lark	only	one o	r two Crisco).
	○ Stick margarine	⊃ But	ter				05	Soft tu	ıb mar	gar	ine		00	Dil	
	O 1/2 butter, 1/2 margarine	⊃ Lov	v calo	rie ma	argari	ne									
13.	What kinds of fat do you <i>usual</i> ○ Don't add fat	<i>ly</i> add ⊃ Lar							Mark alorie r				two.		
	○ Stick margarine	⊃ Sof	t tub ı	marga	rine		01	/2 bu	tter, 1/	2 m	narga	arine			
	O Butter C	⊃ Wh	ipped	butte	r		00	Crisco							
14.	ICE CREAM/YOGURT	ods, h ⊃ Alw ⊃ Alw ⊃ Alw	ays lo ays lo	ow-fat ow-fat		0 5	a low Somet Somet	imes imes	or non-	00	Rar Rar	sion ely lo ely lo ely lo	w-fat w-fat	it foo	d?

15.		SELDOM/NEVER	SOMETIMES	OFTEN/ALWAYS
	a. How often do you add salt to your food?	0	0	0
	b. How often do you add pepper to your food?	0	0	0
	c. How often do you eat the skin on chicken?	0	0	0
	d. How often do you eat the fat on meat?	0	0	0

Remember to think about all meals (breakfast, lunch, dinner or snacks).

NUMBER OF VISITS LAST YEAR									
RESTAURANT FOOD	NEVER IN PAST YEAR	1-4 TIMES PAST YEAR	5-11 TIMES PAST YEAR	1-3 TIMES A MONTH	ONCE A WEEK	2-4 TIMES A WEEK	ALMOST EVERY DAY		
Fried chicken	0	0	0	0	0	0	0		
Burgers	0	0	0	0	0	0	0		
Pizza	0	0	0	0	0	0	0		
Chinese food	0	0	0	0	0	0	0		
Mexican food	0	0	0	0	0	0	0		
Fried fish	0	0	0	0	0	0	0		

17. This section is about your usual eating habits over the past year.

FIRST: Mark the column to show how often, on the average, you ate the food during the past year.

Please BE CAREFUL which column you put your answer in.

SECOND: Mark whether your usual serving size is small, medium or large. Please DO NOT OMIT serving size.

ADDITIONAL COMMENTS:

- · Please DO NOT SKIP any foods. If you never eat a food, mark "Never or less than once a month."
- A small serving is about one-half the medium serving size shown, or less.
- A large serving is about one-and-a-half times the medium serving size shown, or more.

This person ate a medium serving of rice about twice per month and never ate squash. SAMPLE:


			Н	ow (OFTE	N				НО	W ML	JCH	
TYPE OF FOOD	NEVER OR LESS	1	2-3	1	2	3-4	5-6	1	2+			YOUR VING	
1	THAN ONCE PER MONTH	PER MON	PER MON	PER WEEK	PER WEEK	PER WEEK	PER WEEK	PER DAY	DAY	MEDIUM SERVING	S	M	L
Rice	0	0	•	0	0	0	0	0	0	3/4 cup	0	•	0
Winter squash, baked squash	•	0	0	0	0	0	0	0	0	1/2 cup	0	0	0

112598


			Н	ow o	OFTE	N				НО	W ML		
TYPE OF FOOD	NEVER OR LESS	1 PER	2-3 PER	1 PER	2 PER	3-4 PER	5-6 PER	1 PER	2+ PER	MEDIUM	SEF	YOUR	
	THAN ONCE PER MONTH	MON					WEEK		DAY	SERVING	s	М	L
FRUITS AND JUICES							· · · · · · · · · · · · · · · · · · ·						
EXAMPLE: Apples, etc.	0	0	0	•	0	0	0	0	0	1 medium or 1/2 cup	0	•	0
Apples, applesauce, pears	0	0	0	0	0	0	0	0	0	1 medium or 1/2 cup	0	0	0
Bananas	0	0	0	0	0	0	0	0	0	1 medium	0	0	0
Peaches, apricots (fresh or canned	0	0	0	0	0	0	0	0	0	1 medium or 1/2 cup	0	0	0
Cantaloupe (in season)	0	0	0	0	0	0	0	0	0	1/4 medium	0	0	0
Cantaloupe (rest of year)	0	0	0	0	0	0	0	0	0	1/4 medium	0	0	0
Watermelon (in season)	0	0	0	0	0	0	0	0	0	1 slice	0	0	0
Strawberries (in season)	0	0	0	0	0	0	0	0	0	1/2 cup	0	0	0
Oranges	0	0	0	0	0	0	0	0	0	1 medium	0	0	0
Grapefruit	0	0	0	0	0	0	0	0	0	1/2 medium	0	0	0
Orange juice or grapefruit juice	0	0	0	0	0	0	0	0	0	6 ounce glass	0	0	0
Fruit drinks with added vitamin C, such as Hi-C	0	0	0	0	0	0	0	0	0	6 ounce glass	0	0	0
Any other fruit, including berries, fruit cocktail, grapes	0	0	0	0	0	0	0	0	0	1/2 cup	0	0	0
BREAKFAST FOODS						-							
High fiber, bran or granola cereals, shredded wheat	0	0	0	0	0	0	0	0	0	1 medium bowl	0	0	0
Highly fortified cereals, such as Total, Just Right or Product 19	0	0	0	0	0	0	0	0	0	1 medium bowl	0	0	0
Other cold cereals, such as corn flakes, Rice Krispies	0	0	0	0	0	0	0	0	0	1 medium bowl	0	0	0
Cooked cereal, or grits	0	0	0	0	0	0	0	0	0	1 medium bowl	0	0	0
Milk on cereal	0	0	0	0	0	0	0	0	0	1/2 cup	0	0	0
Sugar added to cereal	0	0	0	0	0	0	0	0	0	2 teasp	0	0	0
Eggs	0	0	0	0	0	0	0	0	0	1 egg=sml 2 eggs=med	0	0	0
Bacon	0	0	0	0	0	0	0	0	0	2 slices	0	0	0
Sausage	0	0	0	0	0	0	0	0	0	2 patties or links	0	0	0

			Н	ow o	OFTE	N				НО	W ML	JCH	
TYPE OF FOOD	NEVER OR LESS	1 PER	2-3 PER	1 PER	2 PER	3-4 PER	5-6 PER	1 PER	2+ PER	MEDIUM		YOUR	
	THAN ONCE PER MONTH	MON		WEEK					DAY	SERVING	s	M	L
VEGETABLES													
String beans, green beans	0	0	0	0	0	0	0	0	0	1/2 cup	0	0	0
Peas	0	0	0	0	0	0	0	0	0	1/2 cup	0	0	0
Chili with beans	0	0	0	0	0	0	0	0	0	3/4 cup	0	0	0
Other beans such as baked beans, pintos, kidney, limas, and lentils	0	0	0	0	0	0	0	0	0	3/4 cup	0	0	
Corn	0	0	0	0	0	0	0	0	0	1/2 cup	0	0	0
Winter squash/baked squash	0	0	0	0	0	0	0	0	0	1/2 cup	0	0	0
Tomatoes, tomato juice	0	0	0	0	0	0	0	0	0	1 medium or 6 oz. glass	0	0	0
Red chili sauce, taco sauce, salsa picante	0	0	0	0	0	0	0	0	0	2 tablesp	0	0	0
Broccoli	0	0	0	0	0	0	0	0	0	1/2 cup	0	0	
Cauliflower or brussels sprouts	0	0	0	0	0	0	0	0	0	1/2 cup	0	0	0
Spinach (raw)	0	0	0	0	0	0	0	0	0	3/4 cup	0	0	0
Spinach (cooked)	0	0	0	0	0	0	0	0	0	1/2 cup	0	0	0
Mustard greens, turnip greens, collards	0	0	0	0	0	0	0	0	0	1/2 cup	0	0	0
Cole slaw, cabbage, sauerkraut	0	0	0	0	0	0	0	0	0	1/2 cup	0	0	0
Carrots, or mixed vegetables containing carrots	0	0	0	0	0	0	0	0	0	1/2 cup	0	0	0
Green salad	0	0	0	0	0	0	0	0	0	1 medium bowl	0	0	0
Regular salad dressing & mayonnaise, including on sandwiches or on potato salad, etc.	0	0	0	0	0	0	0	0	0	2 tablesp	0	0	0
French fries and fried potatoes	0	0	0	0	0	0	0	0	0	3/4 cup	0	0	0
Sweet potatoes, yams	0	0	0	0	0	0	0	0	0	1/2 cup	0	0	0
Other potatoes, including boiled, baked, mashed & potato salad	0	0	0	0	0	0	0	0	0	1 medium or 1/2 cup	0	0	0
Rice	0	0	0	0	0	0	0	0	0	3/4 cup	0	0	0
Any other vegetable, including cooked onions, summer squash	0	0	0	0	0	0	0	0	0	1/2 cup	0	0	0
Butter, margarine or other fat added to veg., potatoes, etc.	0	0	0	0	0	0	0	0	0	2 pats	0	0	0

			Н	ow o	OFTE	N				НО	W ML	JCH	,
TYPE OF FOOD	NEVER OR LESS	1	2-3	1	2	3-4	5-6	1	2+ PER	MEDIUM	SEF	YOUR	
	THAN ONCE PER MONTH	PER MON	PER MON	PER WEEK	PER WEEK	PER WEEK	PER WEEK	PER DAY	DAY	SERVING	s	М	L
MEAT, FISH, POULTRY, LUNCH	ITEMS												
Hamburgers, cheeseburgers, meatloaf, beef burritos, tacos	0	0	0	0	0	0	0	0	0	1 medium or 4 oz.	0	0	0
Beef, (steaks, roasts, etc., including sandwiches)	0	0	0	0	0	0	0	0	0	4 ounces	0	0	0
Beef stew or pot pie with carrots or other vegetables	0	0	0	0	0	0	0	0	0	1 cup	0	0	0
Liver, including chicken livers	0	0	0	0	0	0	0	0	0	4 ounces	0	0	0
Pork, including chops, roasts	0	0	0	0	0	0	0	0	0	2 chops or 4 ounces	0	0	0
Fried chicken	0	0	0	0	0	0	0	0	0	2 small or 1 large pce	0	0	0
Chicken or turkey (roasted, stewed or broiled, including on sandwiches)	0	0	0	0	0	0	0	0	0	2 small or 1 large pce	0	0	0
Fried fish or fish sandwich	0	0	0	0	0	0	0	0	0	4 ounces or 1 sandwich	0	0	0
Tuna, tuna salad, tuna casserole	0	0	0	0	0	0	0	0	0	1/2 cup	0	0	0
Oysters	0	0	0	0	0	0	0	0	0	5 pieces, 1/4 cup or 3 oz.	0	0	0
Shell fish, (shrimp, crab, lobster, etc.)	0	0	0	0	0	0	0	0	0	5 pieces, 1/4 cup or 3 oz.	0	0	0
Other fish (broiled or baked)	0	0	0	0	0	0	0	0	0	2 pieces or 4 ounces	0	0	0
Spaghetti, lasagna, other pasta with tomato sauce	0	0	0	0	0	0	0	0	0	1 cup	0	0	0
Pizza	0	0	0	0	0	0	0	0	0	2 slices	0	0	0
Mixed dishes with cheese (such as macaroni and cheese)	0	0	0	0	0	0	0	0	0	1 cup	0	0	0
Liverwurst	0	0	0	0	0	0	0	0	0	2 slices	0	0	0
Hot dogs	0	0	0	0	0	0	0	0	0	2 hot dogs	0	0	0
Ham, bologna, salami and other lunch meats	0	0	0	0	0	0	0	0	0	2 slices or 2 ounces	0	0	0
Vegetable and tomato soups, including vegetable beef, minestrone	0	0	0	0	0	0	0	0	0	1 medium bowl	0	0	0
Other soups	0	0	0	0	0	0	0	0	0	1 medium bowl	0	0	0



			Н	ow o	OFTE	N				НО	W ML	JCH	
TYPE OF FOOD	NEVER OR LESS	1	2-3	1	2	3-4	5-6	1	2+ PER	MEDIUM	SER	YOUR RVING :	
	THAN ONCE PER MONTH	PER MON	PER MON	PER WEEK	PER WEEK	PER WEEK	PER WEEK	PER DAY	DAY	SERVING	S	M	L
BREADS, SNACKS, SPRE	ADS			·									
Biscuits, muffins, (including fast foods)	0	0	0	0	0	0	0	0	0	1 medium piece	0	0	0
White bread (including sandwiches, bagels, burger rolls, French or Italian bread	0	0	0	0	0	0	0	0	0	2 slices	0	0	0
Dark bread, such as wheat, rye, pumpernickel, (including sandwiches)	0	0	0	0	0	0	0	0	0	2 slices	0	0	0
Corn bread, corn muffins, corn tortillas	0	0	0	0	0	0	0	0	0	1 medium piece	0	0	0
Salty snacks, such as potato chips, corn chips, popcorn	0	0	0	0	0	0	0	0	0	2 handfuls or 1 cup	0	0	0
Peanuts, peanut butter	0	0	0	0	0	0	0	0	0	2 tablesp	0	0	0
Margarine on bread or rolls	0	0	0	0	0	0	0	0	0	2 pats	0	0	0
Butter on bread or rolls	0	0	0	0	0	0	0	0	0	2 pats	0	0	0
Gravies made with meat drippings, or white sauce	0	0	0	0	0	0	0	0	0	2 tablesp	0	0	0
DAIRY PRODUCTS													
Cottage cheese	0	0	0	0	0	0	0	0	0	1/2 cup	0	0	0
Other cheeses and cheese spreads	0	0	0	0	0	0	0	0	0	2 slices or 2 ounces	0	0	0
Flavored yogurt, frozen yogurt	0	0	0	0	0	0	0	0	0	1 cup	0	0	0
SWEETS													
Ice cream	0	0	0	0	0	0	0	0	0	1 scoop or 1/2 cup	0	0	0
Doughnuts, coòkies, cake, pastry	0	0	0	0	0	0	0	0	0	1 piece or 3 cookies	0	0	0
Pumpkin pie, sweet potato pie	0	0	0	0	0	0	0	0	0	1 medium slice	0	0	0
Other pies	0	0	0	0	0	0	0	0	0	1 medium slice	0	0	0
Chocolate candy	0	0	0	0	0	0	0	0	0	1 small bar or 1 oz	0	0	0
Other candy, jelly, honey, brown sugar	0	0	0	0	0	0	0	0	0	3 pieces or 1 tblsp.	0	0	0



			Н	ow o	OFTE	N				НО	W ML	JCH	
TYPE OF FOOD	NEVER OR LESS THAN ONCE PER	1-3 PER	1 PER	2-4 PER	5-6 PER	1 PER	2-3 PER	4-5 PER	6+ PER	MEDIUM	SEF	YOUR	
	MONTH	MON	WEEK	WEEK	WEEK	DAY	DAY	DAY	DAY	SERVING	S	M	L
BEVERAGES (Please note	that the	cat	egor	ies f	or th	ese	colu	umn	s are	differen	t.)		
Whole milk and beverages with whole milk (not incl. on cereal)	0	0	0	0	0	0	0	0	0	8 oz. glass	0	0	0
2% milk and beverages with 2% milk (not including on cereal)	0	0	0	0	0	0	0	0	0	8 oz. glass	0	0	0
Skim milk, 1% milk or buttermilk (not including on cereal)	0	0	0	0	0	0	0	0	0	8 oz. glass	0	0	0
Regular soft drinks (not diet soda)	0	0	0	0	0	0	0	0	0	12 oz can or bottle	0	0	0
Beer	0	0	0	0	0	0	0	0	0	12 oz can or bottle	0	0	0
Wine or wine coolers	0	0	0	0	0	0	0	0	0	1 medium glass	0	0	0
Liquor	0	0	0	0	0	0	0	0	0	1 shot	0	0	0
Coffee, regular or decaf	0	0	0	0	0	0	0	0	0	1 medium cup	0	0	0
Tea (hot or iced)	0	0	0	0	0	0	0	0	0	1 medium cup	0	0	0
Lemon in tea	0	0	0	0	0	0	0	0	0	1 teasp	0	0	0
Non-dairy creamer in coffee or tea	0	0	0	0	0	0	0	0	0	1 tablesp	0	0	0
Cream (real) or Half-and-Half in coffee or tea	0	0	0	0	0	0	0	0	0	1 tablesp	0	0	0
Milk in coffee or tea	0	0	0	0	0	0	0	0	0	1 tablesp	0	0	0
Sugar in coffee or tea	0	0	0	0	0	0	0	0	0	2 teaspoons	0	0	0
Glasses of water	0	0	0	0	0	0	0	0	0	8 oz. glass	0	0	0
						\/EB	105	UOF !	ACT	VEAD			
18.	_				Α	VEH	HUE	USE	LASI	YEAR		—т	

8.				AV	ERAGE	USE LA	AST YE	AR		
	SUMMARY QUESTIONS	LESS THAN ONCE PER WEEK	1-2 PER WEEK	3-4 PER WEEK	5-6 PER WEEK	1 PER DAY	1 1/2 PER DAY	2 PER DAY	3 PER DAY	4+ PER DAY
	 a. How often do you use fat or oil in cooking? 	0	0	0	0	0	0	0	0	0
	 About how many servings of vegetables do you eat, not counting salad or potatoes? 	0	0	0	0	0	0	0	0	0
	c. About how many servings of fruit do you eat, not counting juices?	0	0	0	0	0	0	0	0	0
	d. About how many servings of cold cereal do you eat?	0	0	0	0	0	0	0	0	0

THANK YOU VERY MUCH FOR TAKING THE TIME TO FILL OUT THIS QUESTIONNAIRE

Please take a moment to fill in any questions you may have skipped.

|--|--|--|

TO BE COMPLETED BY INTERVIEWER:

Interviewer's ID#: Intake was: (Circle one)

- 1 Typical 2 Considerably more than usual 3 Considerably less than usual

Information was: (Circle one)

- 1R2UTR3UR

Collection method: (Circle one)

- I Recall
- 2 Record

Visit #:

To be completed by TNDC: Date coded: Date Checked: Coder ID#:
--

Form - N-1 c 1995

FOOD RECORD

ಶ 7 E Date of Intake:

Participant's ID#:

Participant's Sex: M F (Circle)

E Birth Date: ___ E

Interviewer's ID#:

Are the three days recorded in this booklet typical of your usual food intake? day day Please contact me if any questions arise at: – — through — y E ^oZ Your next appointment is _ Begin your Record on If no, explain why? Circle: Yes E Ε Ε

APPOINTMENT INFORMATION:

GUIDELINES FOR KEEPING A FOOD RECORD

1. 3 Day Food Record: Start your food record at midnight (12:01 a.m.) on day one and keep it until midnight (12:00 p.m.) on the last day. Include one weekend day.

2.Record foods and beverages immediately after eating or drinking.

- use ben
- include vitamin and mineral supplements and over-the counter medications

do not change present eating habits during collection of food record

- include all meals, snacks and beverages actually consumed anytime of the day or night.
- if "diet" or other special product, copy nutrition information from label
- include type and amount of added fat, all seasonings, sauces, and condiments
- use brand name wherever possible
- 3. Start a new page for each day. Use as many pages as needed,
- 4. List only one food per line. Skip a line between each meal.
- 5. Time: Record the time to the nearest hour and whether meal was consumed in A.M. or P.M.
- 6. Place: Indicate where food was prepared:
- Home = 1; Restaurant = 2, to indicate an expensive restaurant, use \overline{Ex} and for an inexpensive restaurant, use \overline{Inex} .
 - Other = 3, indicate whether fast food, day care, friend's, delicatessen or cafeteria.

GUIDELINES (continued)

7. Meal: Indicate: Breakfast = B, Lunch = L, Dinner = D, Snack = S.

8. Describing Amounts:

- Measure all liquids using a clear measuring cup and record in cups. (Example: milk, 2% 3/4 C.)
- If scales are not available, measure the portion consumed using tablespoons (TB), teaspoons (tsp), cups (C), inches (in), or list the number of small items (Example: 15 raisins).
- When using your measuring cup to measure solids, report the amount in cups, not ounces. (Example: 1 cup cereal).
 If describing a portion in inches, use appropriate
 - measurements, such as:
 - spherical food diameter, e.g. orange, 3" d
- round food: diameter and height, e.g., cookies, 3" d x 1/4" ht.
 - square or rectangular food: length, width and height, e.g. brownie, 2" 1 x 3" w x 1/2" ht.
- wedge food: arc, height and length, e.g. pie, 3" arc x 1" ht x 4" 1 or diameter of whole and proportion, (e.g.) 1/8th of 8" pie.

9.Describing foods, beverages and supplements:

PROTEIN FOODS:

Meat, Fish, and Poultry:

- cooked or raw weights, trimmed, partially trimmed or untrimmed
- with or without bone/shell
- method of preparation
- type, cut or part, grade or % fat
- light or dark poultry
 - with or without skin
- oil or water packed fish

Protein (continued)

Legumes, Nuts and Seeds:

dry or cooked weights Eggs and Substitutes:

sizc

method of preparation

Soups:

cream, milk (%) or water-based

regular or chunky

modified or regular

FATS AND OILS:

brand

form (stick, tub, liquid)

type (regular, light, diet, unsalted)

MILK PRODUCTS:

type or percent fat

dairy or non-dairy

liquid or powder

GRAINS AND MIXTURES:

type of grain or flour

recipe if homemade or mix

thick or thin crust pizza

Desserts:

single or double crust pies

cake or yeast donut

VEGETABLES AND MIXTURES:

cooked or raw weight

method of preparation

fresh, frozen or canned

FRUIT AND MIXTURES:

fresh, frozen, canned or dried

sweetened or unsweetened cooked or raw weight

SWEETS:

description or recipe

BEVERAGES:

Alcohol And Other Beverages:

proof

amount without ice

light or regular beer

table or dessert wine

iquor or liqueur

regular or diet

with or without caffeine

brewed or instant

decaffeinated or herbal tea and coffee

SEASONINGS:

Include all -

herbs and spices

condiments and sauces

meat tenderizer and MSG

salts - regular or modified, plain or seasoned

use measuring spoons if possible

include all additions in cooking or at the table

SUPPLEMENTS AND OVER THE COUNTER MEDICATIONS:

brand and complete name

number of tablets or size of dosage taken

10. Recipes: For each recipe used

Record no more than one ingredient per line.

If the recipe is consumed again, indicate the new serving

size in the same measurements as before.

No cooking directions are required.

Record total yield of recipe and amount eaten in the same measurement, or record proportion of total recipe eaten. 11.After completing your food record, go back to the guidelines and check each item listed to make sure you have followed all the instructions.

Circle Day: Su M T W TH Fr Sa

Date: ________

unt Coder Use																						
Amount																						
FOOD/REVERAGE DESCRIPTION	GOODELENAGE DESCRIPTION																					
Place Meal														_								
Time Pl																						_
	1	2	3	4	5	9	7	8	6	10	11	12	13	14	15	16	17	18	19	20	21	22

Medical Questionnaire (Postmenopausal Women)

` .	Today's Date://							
C. I. II. Data of Director II.	MM/DD/YY							
Code #: Date of Birth:// MM/DD/YY								
Height: (feet, inches) Weigh								
Phone: Day () Evening (_)							
In case of Emergency Call:	Phone: ()							
Marital Status: S M W D								
Race: Black White Latino	Other							
Education: Grades Completed (1-12) Post-college (years)	College (years)							
Family History of Disease								
Please circle any of the following which any of your blood relatives have had, specify the blood relatives and the age of onset for each condition:								
DIABETES	DEAFNESS							
HIGH BLOOD PRESSURE	GLAUCOMA							
MIGRAINE HEADACHES	BLEEDING TENDENCY							
ASTHMA	TUBERCULOSIS							
EPILEPSY	HAY FEVER							
GOUT	NERVOUS SYSTEM DISEASE							
PARALYSIS	ULCERS							
ARTHRITIS	HEART DISEASE							
OSTEOPOROSIS	KIDNEY DISEASE							
OSTEOMALACIA								
CANCER (please specify type) BREAST C	COLON OTHER							

Pregnancy History

1. Hav	e you eve	er been pregr	nant?No	Yes		
If	Yes: a.	How many ti	imes have you b	een pregna	nt?	
	b.	What was yo	our age when yo	u were first	pregnant?	
	c.	What was yo	our age when yo	ur first chile	d was born?	
	d.	How many f	ull-term pregna	ncies did yo	ou have?	
		Numb	per of cesaerean	sections		_
	e.	How many j	pregnancies wer	e not comp	leted?	_
		Numb	oer of miscarriag	ges		
		Numb	per of abortions			
	e.	What was yo	our age at your la	ast pregnand	cy?	
2. Did	you brea	st feed any o	f your children?	No _	Yes	
If ye	es, please	state how ol	d each of your c	hildren is n	ow and the	number of
wee	ks/month	s each child	was breastfed:			
		Current Age	Months/ Weeks		Current Age	Months/ Weeks
		Of Child	Breastfed		Of Child	Breastfed
Fir	rst child			Fifth child		
Se	cond child			Sixth child	-	
Th	nird child			Seventh chi	ld	
Fo	ourth child			Eighth child	d	
Menst	rual His	story				
		-	strual periods b	egin?		
4 77		1 1 '	1 . 1	1 0	NY	3.7
If ye	es: a. Hov	v often did yo r c	consistently or oust before mend	r menstrual		Yes
E	xplain:					
	•		y menstrual flo		Yes	
	yes: a. l	How many t	onormal PAP sr imes? hin the last five	_		
	ow freque	ent were you	r menstrual peri to start of next of	ods?		

		of Hormone Us Ienopause is de			plete absence	of menstrual cycle)	
8. Did you ever use birth control pills? NoYes If yes: a. How old were you when you first used birth control pills? b. Please indicate in each 10-year age grid below your estimate of how years/months/weeks) you were on birth control pills before menopaus							
		20 years and below	21-30 years	31-40 years	41-50 years	51-60 years	
		c. Please est menopause		ng (in total) you	were on birth	control before	
9.		you ever use oth s: Please expl		birth control?		Yes	
10.			es. If Yes, ple were you when dicate in each	ase specify n you first used	hormones?	stimate of how long (ir	
		31-40 years	41-50 years	51-60 years			
c. P	lease	estimate how lo	ng (in total) y	ou were on hor	mones before r	nenopause?	
11.			did you use? I DES Not sure		nd indicate how nths/years) nths/years)	Yes V long you used them:	
Me	nopaı	ısal History					
		e you had a perio				Uncertain	
13.	Whe	n was your last	menstrual peri	od?/_			
14.	Wha	t was your age v	vhen you enter	red menopause	(i.e., when you	stopped getting your	

15	. Was your menopause? Natural Surgical/hysterectomy (Go to 15a) Other											
	a. If surgical, did it include removal of ovaries?NoYes If Yes: one ovary both ovaries don't know b. If your menopause was natural, did you have any ovaries removed after, menopause?											
	b. If your menopause was natural, did you have any ovaries removed after menopause? No Yes. If Yes, one ovary both ovaries Uncertain Postmenopausal Hormone Use History											
Po												
16	16. Are you currently taking hormones? No Yes If yes: Please indicate how long you have been taking the hormones:											
17	. Have you taken hormones in the past since menopause (i.e., one year after you stopped getting your period completely)? No Yes a. If Yes, please indicate in each 10-year age grid below your estimate of how long (in years/months/weeks) you were on hormones after menopause:											
	31-40 years											
	b. Please estimate how long (in total) you were taking hormones after menopause: months ago/ wears ago											
18												
Н	Date if known: to History of Breast Problems											
19	19. Have you ever had breast cancer?NoYes If yes: What was the date of the diagnosis?											
20	Have you ever had breast surgery? No Yes If yes: please explain:											
21	. Have you ever had a <u>biopsy proven</u> adenoma (benign tumor) of the breast? No Yes											
22	Have you ever had any other type of breast problem? No Yes If yes, please explain:											

Personal Medical History

23. Do you have a history of:

Medical Conditions	No	Yes
High blood pressure		
Heart Disease		
Diabetes Mellitus		
Pancreatic Disease		
Liver Disease		
Bleeding Disorder		
Hyperlipidemia (high fats in blood)		
Kidney disease		
Small Bowel Disease		
Atrophic Gastritis		
Cancer		
Prior radiation to the chest or breast		
Thyroid Disease		
Urinary tract infection		
Other		

24.What was the date	of your last physical	l exam?
----------------------	-----------------------	---------

25. Please circle Yes or No to the operations and surgeries you have had in the Table below:

Type Of Operation			If Yes, Please Explain And Specify Date Of Operation:
Bowel removal	Yes	No	
Gall Bladder removal	Yes	No	
Operation for Cancer	Yes	No	
Uterus removal	Yes	No	
Ovary removal	Yes	No	
Adrenal removal	Yes	No	
Thyroid removal	Yes	No	
Liposuction/			
Fat Tissue removal	Yes	No	
Other:	Yes	No	

Prescribed Medications	Condition being treated /amounts & frequency used	Date Medication Started
	nts/herbal medications you are curre	-
menopause/other purpos	ses, indicate the condition being trea	ted and the date you started
taking these supplement	s/herbal medications,	
		D. M. P. C. Co.
Supplements/ Herbal Medications	Condition being treated /amounts & frequency used	Date Medication Started
Herbai Medications	ramounts & frequency used	
Voight History		
Weight History		
·	d more than 10 lbs in the last 6 mon	ths?
28. Has your weight change	d more than 10 lbs in the last 6 mon	ths?
28. Has your weight change	_ Yes	
28. Has your weight change		
28. Has your weight change No If Yes, explain:	_ Yes	A. S B. 1990

Smoking History and Alcohol Intake

31.	Are you currently a smoker?NoYes If Yes:										
	How many cigarettes do you smoke each day?										
32.	Have you smoked a total of 100 cigarettes in your lifetime?NoYes If Yes:										
	a. How old were you when you began to smoke cigarettes? years										
	b. How old were you when you last smoked cigarettes? years Please specify date (as best you can remember) when you last										
	smoked cigarettes: c. How many cigarettes did you usually smoke each day/week/month? Estimated number of cigarettes smoked: each day each week or each month										
33.	Have you ever lived in the same house with a smoker?NoYes If yes: For how many years did you live with a smoker?										
34.	Do you drink one or more alcoholic beverages per week? No Yes If yes: How many alcoholic drinks do you have per week?										

The Nurses' Health Study II Activity and Inactivity Questionnaire

32.	During the past year, what was your average time per week spent at each of the following recreational activities?	Zero min.	1-4 min.	5-19 min.	20-59 min.	One hr.	1-1.5 hr.	2-3 hr.	4-6 hr.	7-10 hr.	11+ hr.
•	Walking or hiking outdoors (include walking to work)										
•	Jogging (slower than 10 min/mile)										
•	Running (10 minute/mile or faster)										
•	Bicycling (include stationary machine)										
•	Calisthenics/aerobics/aerobic dance/ rowing machine										
•	Tennis, squash, or racquetball										
•	Lab swimming										
•	Other aerobic recreation (e.g. lawn mowing)										
33.	On average, how many hours per week do you spend:	Zero	1 hr.	2-5 hr.	6-10 hr.	11-20 hr.	21-40 hr.	41-60 hr.	61-90 hr.	Over 90 hr.)
•	Standing or walking around at work? Standing or walking around at home? Sitting at work or while driving? Sitting at home?										
34.	What is your usual walking pace outdoo	ors?									
	Easy, casual (less than 2 mph)			☐ Normal, average (2-2.9 mph) ☐ Brisk pace (3-3.9 mph					-3.9 mph)	
	☐ Very brisk/striding (4 mp	oh or fast	er)	☐ Una	ble to wa	lk					
35.	How many flights of stairs (not individu	ıal steps)	do you o	climb dai	ly?						
	2 flights or less	3-4		5-9		<u> </u>	.4	□15 or	r more fli	ghts	

Appendix 3: Body Fat Phenotypes, Sex Hormones and Breast Cancer Risk in Postmenopausal African-American Women

Eligibility Criteria

Weight, Body Fat Phenotype and Level of Obesity Criteria:

- Must be within 80-150% of ideal body weight based on the Metropolitan Height and Weight Table
- 2. Must not currently be on a weight loss regimen or trying to lose weight.
- 3. Weight must be stable (within 10 lbs) for the last 6 months. If more than 250 lbs must not have lost more than 5% of body weight in the last 6 months.
- 4. LBF phenotype (WHR≤0.75) (N=70; 35 Obese and 35 Non-Obese LBF phenotype women)

NBF phenotype (0.75<WHR≤0.80) (N=70; 35 Obese and 35 Non-Obese NBF phenotype women)

UBF phenotype (WHR> 0.80) (N=70; 35 Obese and 35 Non-Obese UBF phenotype women)

Note: Obese: BMI>27; Non-Obese: BMI≤27 (LBF, NBF, and UBF phenotypes as well as Obese and Non-Obese status similar criteria as used in premenopasual women study)

Race/Ethnicity:

1. Must consider themselves Black, African-American or of African descent

Age Criteria:

1. Must be at least <u>one</u> year postmenopausal up through the age of 70 years (must have gone through at least one year of <u>complete absence</u> of menstrual cycle).

Menopausal History:

- 1. Must have undergone natural menopause.
- 2. Must have at least <u>one intact ovary</u> (i.e., qualify if underwent hysterectomy and ovariectomy for removal of one ovary <u>after</u> menopause).

Diet Criteria:

- 1. Must not be vegetarian.
- 2. No history of unusual eating habits such as "crash" diets, unusual coping habits (e.g., bingeing or food sprees) or failure to consume a consistent diet are excluded.
- 3. No megavitamin dosing on a regular basis.
- 4. Regular use of any over the counter supplements or herbal medications must be documented.

5. Must not consume more than 3 servings of soy/soy products per week (1 serving =1/2 C soybeans; 1C soymilk; 4 oz. Tofu/tempeh;1T miso).

Family/Self History of Breast Cancer/Self History of Other Diseases:

- 1. No family history of breast cancer (no mother, sister, daughter, father, brother, son with breast cancer i.e., no first degree relatives with breast cancer).
- 2. No personal history of cancer, heart disease, diabetes mellitus, renal, thyroid disease, liver or bowel disease, or any other major illness (sickle cell trait okay).
- 3. No biopsy proven adenomas of the breast and no history of breast surgery. If diagnosed with benign breast disease need to sign "Medical Release Form" for release of diagnosis report from physician. Only women with benign breast disease not associated with increased risk of breast cancer would be eligible.
- 4. Must not be HIV positive.

Alcohol Intake:

1. Do not consume alcohol on a regular basis (i.e., not more than a drink a week/1 oz of alcohol a week).

Smoking:

1. Must be a non-smoker or must have stopped smoking for at least 6 months.

Prescribed Medications:

- 1. Do not use prescribed medications. If on prescribed medication recently, refer to Dr. Gorbach (tel: 636-3811) for information on how long must be off medication before eligible, if Dr. Gorbach is not available please call Dr. Richard Seigel (tel: 636-5689) or Dr. Bess Dawson-Hughes (tel: 556-3066), e.g.:
 - a. corticosteroids (e.g., oral glucocorticoids must have stopped taking within the last 3 months),
 - b. antibiotics (must have stopped taking within the last 2 months),
 - c. other drugs?? Consult study consultants listed above.

Exogenous Hormones

- 1. Not currently using any exogenous hormones for at least 6 months.
- 2. No hormone replacement therapy (HRT) during the past 6 months.
- 3. Women with cumulative hormone use of less than 10 years after menopause (i.e., one year after complete absence of menstrual period.

Physical Activity Level:

1. Must be mobile but not training for any athletic competition (as in premenopausal women study). Must have stopped athletic training for 6 months prior to participation in the study.



ATTENTION!!! All Black Women

After Menopause

Participate in a Breast Cuncer Risk Research Study

RECEIVE \$100

Minimum 3 Visits Required

Must be:

I Year Postmenopausal

Up To Age 70

Non-Smoking

Non-Vegetarian

Not Taking Any Hormones

Please Call (617) 636-6972 We Need Your Help!

Tulis Medical School - Boston, MA

NEMCH/TUHS HIRC Approved

Nutrition Unit, Department of Family Medicine and Community Health, Tufts Medical School

136 Harrison Avenue • Arnold 205 • Boston, MA 02111 • Tel: 617-636-6792 • Fax: 617-636-3810

Date:

To:

NEMC News

Box 810

From:

Laura Snydman

Project Coordinator

617-636-6972

Re:

Ad for the NEMC News

Please place the following ad in the next four issues of the NEMC News. A check for \$16.00 has been enclosed. If there are questions please give me a call. Thank you.

ATTENTION!! ALL BLACK WOMEN AFTER MENOPAUSE. The Nutrition Unit at Tufts Medical School is seeking Black women after Menopause to participate in a "Breast Cancer Risk" research study. PLEASE CALL 617-636-6972. Get your percent body fat measured free and receive \$100. Minimum 3 visits required. Must be 1 year postmenopausal up to age 70, non-smoking, non-vegetarian, and not taking any hormones.

NEMCH/TUHS
HIRC

proved as Noted

A Tasun Al 1/0

V

Black Women After Menopause

Participate in a Breast Cancer Risk Research Study

RECEIVE \$100

Minimum 3 Visits Required

IF YOU ARE:

- 1 Year Postmenopausal Up To Age 70
- Non-Smoking
- Non-Vegetarian
- Not Taking Any Hormones

PLEASE CALL: (617) 636-6972
WE NEED YOUR HELP!

This research study is conducted by the Nutrition Unit at Tufts Medical School - Boston, MA

NEMCH/TUHS
HIRC
Approved
Approved as Noted

Public Jean 2/17/00
Signature 4354
Date

ATTENTION!!! Black Women After Menopause

Participate in a Breast Cancer Risk Research Study

RECEIVE \$100
Minimum 3 Visits Required

IF YOU ARE:

- 1 Year Postmenopausal Up To Age 70
- Non-Smoking
- Non-Vegetarian
- Not Taking Any Hormones

PLEASE CALL: (617) 636-6972

WE NEED YOUR HELP!

This research study is conducted by the Nutrition Unit at Tufts Medical School - Boston, MA

NEMCH/TUHS
HIRC
Approved
Approved as Noted

Approved as Noted

Approved as Noted

Approved as Noted

Date

AFTER MENOPAUSE

Participate in a Breast Cancer Risk Research Study

RECEIVE \$100 Minimum 3 Visits Required

Please Call (617) 636-6972

Must be: 1 Year Postmenopausal Up To Age 70. Non-Smoking, Non-Vegsterian, Not Taking Any Hormones

Tyns Medies! School Benen. NA

NEMCH/TUHS Approved

Approved as Noted

Duly a Session 2

ATTENTION! BLACK WOMEN AFTER MENOPAUSE

Participate in a Breast Cancer Risk Research Study

RECEIVE \$100

Minimum 3 Visits Required

If you are:

- 1 Year Postmenopausal Up To Age 70
- Non-Smoking
- Non-Vegetarian
- Not Taking Any Hormones

PLEASE CALL: (617) 636-6972

WE NEED YOUR HELP!

This research study is conducted by the Nutrition Unit at Tufts Medical School - Boston, MA

NEMCH/TUHS
HIRC
Approved as Noted
Approved as Noted

July Hum 2/17/00
Signature 4354 Date

NEMCH/TUHS HIRC:

Approved Approved as Noted

grature 4354

ATTENTION BLACK WOMEN .
AFTER MENOPAUSE

Participate in a Breast Cancer Risk Research Study
At Tufts Medical School
RECEIVE \$100
Minimum 3 Visits Required


Call (617) 636-6972

Must be: 1 Year Postmenopausul Up To Age 70, NON-Smoking, NON-Vegetarian, NOT Taking Any Hormones

NEMCH/TUHS **Approved**

Attention! Noted 2/17/00 All Black Women

After Menopause



Participate in a Breast Cancer Risk Research Study Receive \$100

Minimum 3 Visits Required

Must be:

- 1 Year Postmenopausal Up To Age 70
- Non-Smoking
- Non-Vegetarian
- Not Taking Any Hormones

Please call: (617) 636-6972 We Need Your Help!

NEMCH/TUH\$ HIRC

Approved

Approved as Noted

te 4354 Bate/

Black Women

After Menopause

Participate in a Breast Cancer Risk Research Study

RECEIVE \$100 Minimum 3 Visits Required

IF YOU ARE:

- 1 Year Postmenopausal Up To Age 70
- Non-Smoking
- Non-Vegetarian
- Not Taking Any Hormones

PLEASE CALL: (617) 636-6972

WE NEED YOUR HELP!

This research study is conducted by the Nutrition Unit at Tufts Medical School - Boston, MA

THE FACTS ABOUT BREAST CANCER IN BLACK WOMEN

Breast cancer is the second leading cause of cancer death among Black women in the U.S., exceeded only by lung cancer. In 1999, the estimated number of Black women in the U.S. newly diagnosed with breast cancer is 18,100 and approximately 5,600 Black women are expected to die from breast cancer. The breast cancer death rates among Black women is still approximately 20% higher than White women. Only 71% of Black women survive for 5 years after having been diagnosed with breast cancer compared to 87% of White women.*

WHAT IS THIS STUDY ABOUT?

The Nutrition Unit, Department of Family Medicine and Community Health, Tufts University School of Medicine, is conducting a Body Fat Distribution and Risk of Breast Cancer Study in Black women after menopause. This research study is funded by the Department of Defense Breast Cancer Research Program. The study would help identify if fat deposited on the waist and the abdomen verses fat deposited in the buttocks and thighs among postmenopausal Black women influences sex-hormone levels, and consequently their risk for developing breast cancer.

WHAT IS THE IMPORTANCE OF THIS STUDY?

There are very few risk factors of breast cancer that can be changed. The distribution of body fat can be changed by changing life style factors such as smoking, diet, intake of alcohol and physical activity level. The identification of body fat distribution as a marker of increased risk of breast cancer is thus very important as it has the potential to decrease a women's risk of getting the disease, and to alert women at high risk to take appropriate actions which can help save their lives.

Data obtained from the American Cancer Society "Cancer Facts & Figures for African Americans 1998-1999".

WHAT ARE MY RESPONSIBILITIES IF I PARTICIPATE?

Over the phone you will be asked a few questions in order for us to fill out a telephone screening questionnaire. Then a 20 to 30 minute screening appointment will be scheduled. At the screening appointment we will measure your waist and hip circumferences, as well as your height and weight. If you are eligible we will provide you with a small packet of materials for further screening. The screening packet includes questionnaires, a four day food record booklet and a diet scale.

After we receive your screening packet and confirm your eligibility, it is required that you come to the New England Medical Center on two consecutive mornings to provide blood samples. There will also be a one hour appointment to take body measurements during one of those days as well as a 20 minute appointment for a total body scan.

WHY WOULD I WANT TO ENROLL IN THIS STUDY?

- Satisfaction that you have contributed to an important cause in an area of research that has the potential to benefit Black women, in particular, and breast cancer research in general,
- FREE laboratory evaluation of your blood cholesterol, other lipid and lipoprotein levels that will give you an indication of your risk of getting heart disease,
- FREE evaluation of your food intake, including the recommended food and nutrient intake guidelines,
- FREE analyses of your body composition using several up-to-date techniques, including information on your percent body fat and lean body mass, and
- Receive \$100.00 in appreciation for your invaluable contribution to the study.

WE WILL ALSO MAIL YOU A COPY OF THE FINAL STUDY REPORT OF OUR FINDINGS, IF YOU WISH, AND IF YOU LEAVE US A PERMANENT ADDRESS!

HOW CAN I HELP?

- 1. Call us to volunteer to participate in the study, we need a lot of women,
- 2. Tell your family members, friends, and co-workers about the study,
- 3. Help us distribute and put up our flyers at places where women of African descent are more likely to see it, and if you need more flyers, please call us for more. (Suggested places for putting up flyers: your workplace, laundromats, libraries, gyms, churches, grocery stores, et cetera.),
- 4. Call us if you have any idea at all about agencies, people, and any other contacts and functions where we can reach Black women after menopause up to the age of 70 years,
- 5. Call us to arrange for a presentation to groups of postmenopausal Black women and to provide more information about the study.

THANK YOU FOR YOUR TIME AND FOR ANY HELP YOU CAN PROVIDE US

"Body Fat Distribution and Risk of Breast Cancer Study in Black Women After Menopause"

Junaidah B. Barnett, Ph.D., Principal Investigator Laura Snydman, Research Coordinator Lorraine Hector, Enrollment Coordinator

Dept. of Family Medicine and Community Health - Nutrition Unit Tufts University School of Medicine 136 Harrison Avenue-Arnold 205 Boston, MA 02111 Tel: (617) 636-6972

APPENDIX 5: Study recruitment status New England Medical Center A Lifespan Partner



BARNETT, JUNAIDAH PHD BOX ST-203 COMMHLTH TUSM

N.A. Mark Estes, III, M.D. Professor of Medicine, Tufts University School of Medicine Chairman, HIRC

Judy A. Tesnow Administrator

Re:	BODY FAT PHENOTYPES, HORMON AFRICAN-AMERICAN WOMEM (DO		POSTMENOPAUSAL
Login 1	No.: 4354		
PROTO	OCOL CHANGES ADMINISTRATIVEL	Y APPROVED	DATE: 10/02/00
	Amendment #:	dated:	Contact Letter: X
	Addendum #:	dated:	Other: Flyer
	Revision: X	dated: <u>08/22/00</u>	
CONSI	ENT FORM(S): (incorporating protocol	changes)	
	Administratively Approved as Revised	Number of Consent For	ms:
	Enclosed for use is a copy of each appr the date of administrative approval and earlier versions.		
	Must be Revised (see attached copy with	th changes):	
	No Consent Form Changes:		
	Not Applicable:		
COMM	MENTS: Approval is granted to change the	e eligibility criteria from the original	4 years postmenopausal to one
year po	stmenopausal.		
Please	note that the protocol must undergo full	Committee approval at the re-cer	tification date.
Signat	we of Chairman, Vice Chairman, HIRC	Member DATE	<u>600</u>
Cc: Z	Abby Shevite, MD		

THIS LETTER MUST BE RETAINED FOR YOUR RESEARCH FILES.

Black Women after Menopause You Can Make A Difference!



Black Women have the highest Breast Cancer Death Rate in the U.S.

Participate in a Breast Cancer Risk Research Study Receive \$100 - minimum 3 visits

Must be:


- 1 Year without Menstrual Periods
- Not over 70 Years Old
- · Non-Smoking
- Non-Vegetarian
- Not Taking Any Hormones

elp this Important Cause in the Black Community!

Please Call: (617) 636-6972 ANYTIME

Attention! All Black Women

After Menopause



Participate in a Breast Cancer Risk Research Study Receive \$100

Minimum 3 Visits Required

Must be:

- 1 Year Postmenopausal Up To Age 70
- Non-Smoking
- Non-Vegetarian
- Not Taking Any Hormones

Please call: (617) 636-6972 We Need Your Help!

Black Women after Menopause You Can Make A Difference!



Black Women have the highest Breast Cancer Death Rate in the U.S.

Participate in a Breast Cancer Risk Research Study Receive \$100 - minimum 3 visits


Must be:

Please Inform Other

- 1 Year without Menstrual Periods
- Not over 70 Years Old
- Non-Smoking
- Non-Vegetarian
- Not Taking Any Hormones


Women About this Study Help this Important Cause in the Black Community!

Please Call: (617) 636-6972 ANYTIME



Attention! All Black Women

After Menopause



Participate in a Breast Cancer Risk Research Study Receive \$100 Please Inform Other Wolley About this Study


Minimum 3 Visits Required

Must be:

- 1 Year Postmenopausal Up To Age 70
- Non-Smoking
- Non-Vegetarian
- Not Taking Any Hormones

Please call: (617) 636-6972

We Need Your Help!



To whom it may concern:

Breast cancer death rates are highest in Black women compared to women in other ethnic groups in the U.S.

YOU CAN HELP MAKE A DIFFERENCE!

- 1. We are looking for Black women whose menstrual cycles have stopped completely over a period of one year up to 70 years of age to participate in a research study to determine breast cancer risk factors in the postmenopausal Black women population. Women who may qualify will be further screened for eligibility.
- Even if you may not be eligible for the study, we ask that you please read on because you can still help us spread word about the study to those whom you think may qualify. Please also ask that they pass the word on to other women they know who may qualify. Our experience indicate that word of mouth is one of the best ways to inform women about the study.
- 3. Please refer to our informational flyer enclosed for information on

"HOW CAN I HELP?"

Research dollars to do studies in the Black population, especially in the postmenopausal Black women population, have been very limited in the past because of lack of confidence that data can actually be collected successfully in this population. We are determined to prove that we can, with help from the Black community, recruit eligible postmenopausal Black women for the study. The information that we will collect for this research study can be of great public health significance to help better identify women at high risk for developing breast cancer. Our findings may also help to more precisely target women for preventative and therapeutic purposes.

Let's work together! Help us successfully recruit the women we need for this study.

Thank you in advance for the help you may be able to provide us. With deep appreciation, warm wishes and regards,

Junaidah Barnett, Ph.D.
Principal Investigator
"Body Fat Distribution, and Risk of Breast Cancer
Research Study in Black Women After Menopause"

APPROVED: 10/02/00

37 A T TTO TETTO CTT CTT - 00 /0 / /0 /

HOW CAN I HELP?

- 1. Call us to volunteer to participate in the study, we need a lot of women,
- 2. Tell your family members, friends, and co-workers about the study,
- 3. Help us distribute and put up our flyers at places where women of African descent are more likely to see it, and if you need more flyers, please call us for more. (Suggested places for putting up flyers: your workplace, laundromats, libraries, gyms, churches, grocery stores, et cetera.),
- 4. Call us if you have any idea at all about agencies, people, and any other contacts and functions where we can reach Black women after menopause up to the age of 70 years,
- 5. Call us to arrange for a presentation to groups of postmenopausal Black women and to provide more information about the study.



THANK YOU FOR YOUR TIME AND FOR ANY HELP YOU CAN PROVIDE US

"Body Fat Distribution and Risk of Breast Cancer Research Study in Black Women After Menopause"

Department of
Family Medicine and
Community Health - Nutrition Unit
Iufts University School of Medicine
136 Harrison Avenue - Arnold 205
Boston, MA 02111

Tel: (617) 636-6972

Attention! All Black Women® After Menopause



east Cancer Risk Research & Receive \$100

Minimum 3 Visits Required

Must be:

- 1 Year Postmenopausal Up To Age 70
 - · Non-Smoking
- Non-Vegetarian
- Not Taking Any Hormones

Please call: (617) 636-6972 We Need Your Help!

THE FACTS ABOUT BREAST CANCER IN BLACK WOMEN

.

Breast cancer is the second leading cause of cancer death among Black women in the U.S., exceeded only by lung cancer. In 1999, the estimated number of Black women in the U.S. newly diagnosed with breast cancer is 18,100 and approximately 5,600 Black women are expected to die from breast cancer. The breast cancer death rates among Black women is still approximately 20% higher than White women. Only 71% of Black women survive for 5 years after having been diagnosed with breast cancer compared to 87% of White women.

WHAT IS THIS STUDY ABOUT?

The Nutrition Unit, Department of Family Medicine and Community Health, Tufts University School of Medicine, is conducting a "Body Fat Distribution and Risk of Breast Cancer Study in Black Women after Menopause." This research study is funded by the Department of Defense Breast Cancer Research Program. The study would help identify if fat deposited on the waist and the abdomen verses fat deposited in the buttocks and thighs among postmenopausal Black women influences sex-hormone levels, and conserved.

WHAT IS THE IMPORTANCE OF THIS STUDY?

There are very few risk factors of breast cancer that can be changed. The distribution of body fat can be changed by changing life style factors such as smoking, diet, intake of alcohol and physical activity level. The identification of body fat distribution as a marker of increased risk of breast cancer is thus very important as it has the potential to decrease a women's risk of getting the disease, and to alert women at high risk to take appropriate actions which can help save their lives.

WHAT ARE MY RESPONSIBILITIES IF I PARTICIPATE?

Over the phone you will be asked a few questions in order for us to fill out a telephone screening questionnaire. Then a 20 to 30 minute screening appointment will be scheduled. At the screening appointment we will measure your waist and hip circumferences, as well as your height and weight. If you are eligible we will provide you with a small packet of materials for further screening. The screening packet includes questionnaires, a four day food record booklet and a diet scale.

After we receive your screening packet and confirm your eligibility, it is required that you come to the New England Medical Center on two consecutive mornings to provide blood samples. There will also be a one hour appointment to take body measurements during one of those days as well as a 20 minute appointment for a total body scan.

WHY WOULD I WANT TO ENROLL IN THIS STUDY?

- Satisfaction that you have contributed to an important cause in an area of research that has the potential to benefit Black women, in particular, and breast cancer research in general,
- FREE laboratory evaluation of your blood cholesterol, other lipid and lipoprotein levels that will give you an indication of your risk of getting heart disease,
- FREE evaluation of your food intake, including the recommended food and nutrient intake guidelines,
- FREE analyses of your body composition using several up-to-date techniques, including information on your percent body fat and lean body mass, and
- Receive \$100.00 in appreciation for your invaluable contribution to the study.

WE WILL ALSO MAIL YOU A COPY OF THE FINAL STUDY REPORT OF OUR FINDINGS, IF YOU WISH, AND IF YOU LEAVE US A PERMANENT ADDRESS!

^{*} Data obtained from the American Cancer Society "Cancer Facts & Figures for African Americans 1998-1999".

Number of interested callers 162 Number Number Number with to call called no telephone 7 151 number 4 Number not Number screened screened 51 100 Number Number with Number eligible 15 "pending" ineligible eligibility 14

71

Appendix 6. Study Recruitment Status



APPENDIX 7: Letter of request for approval

TUFTS UNIVERSITY

School of Medicine

Community Health/Nutrition Infection Unit

To: Ms. Judy Tesnow, HIRC

From: Junaidah Barnett, Ph.D. 73

Re: "Body Fat Phenotypes, Hormones and Breast Cancer

in Postmenopausal African-American Women" -- Protocol login #: 4354

Date: August 22, 00

We are writing to request administrative approval from you for changing our eligibility criteria for the above mentioned study from the original 4 years postmenopausal to one year postmenopausal. We have been advised to change this criteria by our study consultants as this is the accepted criteria for the definition of menopause. According to the WHO Scientific Group addressing Research on Menopause¹, the standard definition of menopause is occurrence of a final menstrual period. There is general consensus that amenorrhea for at least 12 months is an acceptable definition in practice. Postmenopause refers to the time after the final menstrual period. Thus for this study, one year postmenopausal will be 12 months after this final menstrual period. This criteria is also suggested to help increase the number of interested women who would qualify for the study given the challenge in recruiting postmenopausal Black women for a research study.

In addition, for the same reason of attempting to increase the number of women eligible for the study, we have also recently decided to change the eligibility criteria from women who consume 30% or more calories from fat in their diet to accepting all eligible women regardless of their levels of fat intake. This criteria is changed with the agreement of our biostatistician who assured us that the percent calories from fat in the diet can be adjusted for in the final study analyses in our multivariate regression analysis model.

We look forward to hearing from you soon with approval for the above-requested changes in our eligibility criteria. Thank you.

¹World Health Organization Scientific Group (WHO) 1996 Research on the Menopause in the 1990s. WHO Technical Service Report Series No. 866. Geneva: World Health Organization.

New England Medical Center

A Lifespan Partner





Junaidah Barnett, PhD Box ST-203 COMMHLTH TUSH

N.A. Mark Estes, III, M.D. Professor of Medicine, Tufts University School of Medicine Chairman, HIRC

Judy A. Tesnow Administrator

RE: BODY FAT PHENOTYPES, HORMONES, AND BREAST CANCER IN POSTMENOPAUSAL AFRICAN-AMERICAN WOMEN (DOD) Login 4354

Dear Dr. Barnett,

This letter confirms that all of the criteria specified in your August 22, 2000 revision request have been administratively approved in the letter dated 10/02/00. The specific approved amendments include:

- 1) Change in eligibility criteria from the original 4 years postmenopausal to one year postmenopausal
- 2) The inclusion of all eligible women regardless of their levels of fat intake

Sincerely,

Judith A. Frazier, RN

Vice-Chair NEMC IRB